




DISPLAY TABLES, DISPLAY TABLE EQUIPMENT, WIRE BASKETS



- 1 Display table 1200x800 H-850/650
- 2 Display table 1200x800 H-850/650 with the opening side
- 3 Display table 1200x800 folded into vertical position
- 4 Display table system P NON FOOD 1200x800 (with the closing flap)
- 5 Display table 1200x800 H-850/400
- 6 Display table 1200x600 H-850/650
- 7 Display table 1200x600 H-850/200
- 8 The bottom shelf to the display table 1200x600
- 9 Overhead attachment to the display table 1200x800 folded into vertical position
- 10 Overhead attachment to the display table system P NON FOOD
- 11 Overhead attachment 12x5 (1140x540) to the display table 1200
- 12 Overhead attachment 12x6 (1140x640) to the display table 1200
- 13 Divider H-270 to the display table 1200x800
- 14 Display table 600x600 H-850/400
- 15 The bottom shelf to the display table 600x600
- 16 Overhead attachment to the display table 600x600
- 17 Display table 800x600 H-850/650
- 18 Exposition grating 1200x600 to the display table
- 19 Dumping basket on legs
- 20 In-out Basket 615 x 650 x 860
- 21 Folding basket DSK16 (550x390x770)
- 22 Folding basket DSK18 (550x550x770)
- 23 Folding basket DSK 800x800 H780

The reproduce without prior permission is forbidden. In order to improve, the manufacturer reserves the right to implement modifications in its products. Recommendations for installation and use the products are provided for informational purposes only and does not imply any liability on the part of the manufacturer.

DISPLAY TABLE 1200X800 H-850/650





Display tables allows for presentation of small and unwieldy goods. The construction ensures that the display table is very stable and highly resistant to damages. The bottom reinforced with flat irons allows for exposition of goods with various sizes and weights. There is possibility of adjust the height of the bottom on two different levels at the same time. The table has additionally a divider. The construction allows for easy disassembly of the table. Divider and bottom split into two separate parts allow the exposure of different types of assortment at the same time.

Standard finish: zinc plated + lacquer or bright chrome. The bottom of the table is zinc plated +lacquer.

Technical data: Structure made of section, side meshes and the divider made of steel wire. Legs are screwed together with a lower frame and the side mesh panels are directly attached to the legs. Bottom made of steel wire is reinforced with flat iron and it consists of twoparts.

Maximum loading: ca 200 kg (with equable spreading of the goods).



PRODUCT NAME	FINISH *	INDEX
Display table 1200x800 H-850/650*	zinc plated + lacquer	919-350-639
	bright chrome	919-320-436


*The bottom of the table is zinc plated.

DISPLAY TABLE 1200X800 H-850/650 WITH THE OPENING SIDE



Display tables allows for presentation of small and unwieldy goods. The construction ensures that the display table is very stable and highly resistant to damages. The bottom reinforced with flat irons allows for exposition of goods with various sizes and weights. There is possibility of adjust the height of the bottom on two different levels at the same time. The table has additionally a divider. The construction allows for easy disassembly of the table. Divider and bottom split into two separate parts allow the exposure of different types of assortment at the same time.

One of the long sides of the table is equipped with two closing flaps to simplify access to exposed products.



Standard finish: zinc plated + lacquer or bright chrome. The bottom of the table is zinc plated + lacquer.

Technical data: Structure made of section, side meshes and the divider made of steel wire. Legs are screwed together with a lower frame and the side mesh panels are directly attached to the legs. Bottom made of steel wire is reinforced with flat iron and it consists of two parts.

Maximum loading: ca 200 kg (with equable spreading of the goods).

PRODUCT NAME	FINISH	INDEX
Display table 1200x800 H-850/650 with the opening side	zinc plated + lacquer	919-350-938
Display table 1200x800 H-850/650 with the opening side*	bright chrome	—

*The bottom of the table is zinc plated.

DISPLAY TABLE 1200X800 FOLDED INTO VERTICAL POSITION




Display tables allow for presentation of small and unwieldy goods. The construction ensures that the display table is very stable and highly resistant to damages. The bottom reinforced with flat irons allows for exposition of goods with various sizes and weights. There is possibility of adjusting the height of the bottom on two different levels at the same time. Divider and bottom split into two separate parts allow the exposure of different types of assortment at the same time. The construction of the table allows for easy folding and unfolding. Unused table folded into a vertical position doesn't take up excessive warehouse space.

Standard finish: zinc plated + lacquer or bright chrome. The bottom of the table is zinc plated + lacquer.

Technical data: Structure made of section, side meshes and the divider made of steel wire. Bottom made of steel wire is reinforced with flat iron and it consists of two parts. The frame, legs and sides are connected together with the possibility of convenient folding and unfolding the table.

Maximum loading: 150 kg (with equitable spreading of the goods).



PRODUCT NAME	FINISH*	INDEX
Display table 1200x800 folded into vertical position	zinc plated + lacquer	—
	bright chrome**	919-320-577

*The bottom of the table is zinc plated.

DISPLAY TABLE SYSTEM P NON FOOD 1200X800 (with the closing flap)

NEW!



Display tables allows for presentation of small and unwieldy goods.


The construction ensures that the display table is very stable and highly resistant to damages. The bottom reinforced with flat irons allows for exposition of goods with various sizes and weights. There is possibility of adjust the height of the bottom on two different levels at the same time. The table has additionally a divider. The construction allows for easy disassembly of the table. Divider and bottom split into two separate parts allow the exposure of different types of assortment at the same time.

One of the long sides of the table is equipped with the closing flap to simplify access to exposed products.

Standard finish: zinc plated + lacquer or bright chrome. The bottom of the table is zinc plated + lacquer.

Technical data: Structure made of section, side meshes and the divider made of steel wire. Legs are screwed together with a lower frame and the side mesh panels are directly attached to the legs. Bottom made of steel wire is reinforced with flat iron and it consists of two parts.

Maximum loading: ca 200 kg (with equable spreading of the goods).



The closing flap



PRODUCT NAME	FINISH	INDEX
Display table System P Non Food 1200x800 (with the closing flap)	zinc plated + lacquer	—
Display table System P Non Food 1200x800 (with the closing flap)*	bright chrome	919-320-571

*The bottom of the table is zinc plated.

DISPLAY TABLE 1200X800 H-850/400



Display tables allows for presentation of small and unwieldy goods. The construction ensures that the display table is very stable and highly resistant to damages. The bottom reinforced with flat irons allows for exposition of goods with various sizes and weights. There is possibility of adjust the height of the bottom. The construction allows for easy disassembly of the table.



Standard finish: zinc plated + lacquer or bright chrome. The bottom of the table is zinc plated + lacquer.

Technical data: Structure made of section, side meshes made of steel wire. Legs are screwed together with a lower frame and the side mesh panels are directly attached to the legs. Bottom made of steel wire is reinforced with flat iron.

Maximum loading: ca 200 kg (with equable spreading of the goods).



PRODUCT NAME	FINISH*	INDEX
Display table 1200x800 H-850/400	zinc plated + lacquer	919-350-287
Display table 1200x800 H-850/400*	bright chrome	—

*The bottom of the table is zinc plated.

DISPLAY TABLE 1200X600 H-850/650



Display tables allows for presentation of small and unwieldy goods. The construction ensures that the display table is very stable and highly resistant to damages. The bottom reinforced with flat irons allows for exposition of goods with various sizes and weights. There is possibility of adjust the height of the bottom on two different levels at the same time. The table has additionally a divider. The construction allows for easy disassembly of the table. Divider and bottom split into two separate parts allow the exposure of different types of assortment at the same time.



Standard finish: zinc plated + lacquer or bright chrome. The bottom of the table is zinc plated + lacquer.

Technical data: Structure made of section, side meshes and the divider made of steel wire. Legs are screwed together with a lower frame and the side mesh panels are directly attached to the legs. Bottom made of steel wire is reinforced with flat iron and it consists of two parts.

Maximum loading: ca 150 kg (with equable spreading of the goods).


PRODUCT NAME	FINISH *	INDEX
Display table 1200x600 H-850/650*	bright chrome	919-320-530
Display table 1200x600 H-850/650	zinc plated + lacquer	—

*The bottom of the table is zinc plated.

DISPLAY TABLE 1200X600 H-850/200



Display tables allows for presentation of small and unwieldy goods. The construction ensures that the display table is very stable and highly resistant to damages. The bottom reinforced with flat irons allows for exposition of goods with various sizes and weights. There is possibility of adjust the height of the bottom. The construction allows for easy disassembly of the table.



Standard finish: zinc plated + lacquer or bright chrome. The bottom of the table is zinc plated + lacquer.


Technical data: Structure made of section, side meshes made of steel wire. Legs are screwed together with a lower frame and the side mesh panels are directly attached to the legs. Bottom made of steel wire is reinforced with flat iron.

Maximum loading: ca 150 kg (with equable spreading of the goods).

PRODUCT NAME	FINISH *	INDEX
Display table 1200x600 H-850/200*	bright chrome	919-320-448-V2
Display table 1200x600 H-850/200	zinc plated + lacquer	_____

*The bottom of the table is zinc plated.

THE BOTTOM SHELF TO THE DISPLAY TABLE 1200X600



The bottom shelf can be assembled to the display table to provide an additional surface to sell or storage goods. It can be assemble to the table base. There is a price strip on the one side of the shelf.

Standard finish: zinc plated + lacquer or bright chrome.
Technical data: shelf made of wire, in front of the table there is a clamping, made of metal plate, to the price strip.
Maximum loading: ca 25 kg (with equable spreading of the goods).



The bottom shelf belongs to the additional equipment and it's adapted to assembly to display table 1200x600.

PRODUCT NAME	FINISH	INDEX
The bottom shelf to the display table 1200x600	zinc plated + lacquer	919-350-805
The bottom shelf to the display table 1200x600	bright chrome	—

OVERHEAD ATTACHMENT TO THE DISPLAY TABLE 1200X800 FOLDED INTO VERTICAL POSITION

NEW!



Overhead attachment can be mounted directly on the display table 1200x800 folded into vertical position (display table with legs from section 25x25x1,5 mm) or by using adapters on display tables 1200x800 with legs from section 30x30x2 mm or 30x30x1,5 mm. Adapters are included in set of overhead attachment.

-The possibilities of mounting:


- Overhead attachment can be mounted directly on display table with legs from section 25x25x1,5 mm (display table 1200x800 folded into vertical position)
- Adapter to overhead attachment 30x30x2 allows assembly of overhead attachment on display table with legs from section 30x30x2
- Adapter to overhead attachment 30x30x1,5 allows assembly of overhead attachment on display table with legs from section 30x30x1,5

An overhead attachment is a simple and reliable means for displaying lightweight products with small dimensions. Easy assembly with the display table makes it possible to show a greater quantity of products, creating additional sales areas.


Standard finish: zinc plated + lacquer or bright chrome.

Technical data: The frame of overhead attachment is made from section, stuck in the display table legs (after removing plugs from the display table). The shelf of overhead attachment is made from wire, reinforced with flat bars, fixed on brackets which are stuck in the perforation of the frame of overhead attachment. Side walls are fixed in bracket with the possibility of folding. There is a possibility of mounting price strip at the front of shelf.

Maximum loading: 75 kg (with equable spreading of the goods).




Assembly with adapter:




Types of adapters:

Adapter to overhead attachment from section 30x30x2



Adapter to overhead attachment from section 30x30x1,5



PRODUCT NAME	FINISH	INDEX
Overhead attachment to the display table 1200x800 folded into vertical position	zinc plated + lacquer	—
Overhead attachment to the display table 1200x800 folded into vertical position	bright chrome*	919-320-615

* adaptory is zinc plated.

OVERHEAD ATTACHMENT TO THE DISPLAY TABLE SYSTEM P NON FOOD

NEW!




An overhead attachment is a simple and reliable means for displaying lightweight products with small dimensions. Easy assembly with the display table makes it possible to show a greater quantity of products, creating additional sales areas.

Overhead Attachment is mounted directly on the table 1200x800 20/5000 with legs from the section 30x30x2 mm.

Standard finish: zinc plated + lacquer or bright chrome.

Technical data: The frame of overhead attachment is made from section, stuck in the display table legs (after removing plugs from the display table). The shelf of overhead attachment is made from wire, reinforced with flat bars, fixed on brackets which are stuck in the perforation of the frame of overhead attachment. Side walls are fixed in bracket with the possibility of folding. There is a possibility of mounting price strip at the front of shelf.

Maximum loading: 75 kg (with equable spreading of the goods).




PRODUCT NAME	FINISH	INDEX
Overhead attachment to the display table System P Non Food	zinc plated + lacquer	_____
Overhead attachment to the display table System P Non Food	bright chrome	919-320-575

OVERHEAD ATTACHMENT 12x5 (1140x540) TO THE DISPLAY TABLE 1200



An overhead attachment is a simple and reliable means for displaying lightweight products with small dimensions. Easy assembly with the display table makes it possible to show a greater quantity of products, creating additional sales areas.


Overhead Attachment is mounted directly on the table 1200



Standard finish: zinc plated + lacquer or bright chrome.

Technical data: basket and holders made of wire.

Maximum loading: ca 20 kg (with equable spreading of the goods).



PRODUCT NAME	FINISH	INDEX
Overhead attachment 12x5 (1140x540) to the display table 1200	bright chrome	919-320-535
Overhead attachment 12x5 (1140x540) to the display table 1200	zinc plated + lacquer	919-350-821

OVERHEAD ATTACHMENT 12X6 (1140X640) TO THE DISPLAY TABLE 1200





An overhead attachment is a simple and reliable means for displaying lightweight products with small dimensions. Easy assembly with the display table makes it possible to show a greater quantity of products, creating additional sales areas.

Overhead Attachment is mounted directly on the table 1200

Standard finish: zinc plated + lacquer or bright chrome.


Technical data: basket and holders made of wire.

Maximum loading: ca 20 kg (with equable spreading of the goods).



PRODUCT NAME	FINISH	INDEX
Overhead attachment 12x6 (1140x640) to the display table 1200	bright chrome	—
Overhead attachment 12x6 (1140x640) to the display table 1200	zinc plated + lacquer	919-350-941



DIVIDER H-270 TO THE DISPLAY TABLE 1200X800



Additional divider to display table is used optionally and allows for additional separation of the another section with depth of 270mm. It enables to create more small sections for special offer goods or exposition of small and unwieldy goods.

The divider belongs to the additional equipment and it's adapted to assembly on the display table 1200x800 with walls H-400 and H-650.

Standard finish: zinc plated + lacquer or bright chrome.




PRODUCT NAME	FINISH	INDEX
Divider H-270 to the display table 1200x800	bright chrome	919-320-487
	zinc plated + lacquer	919-350-822

DISPLAY TABLE 600X600 H-850/400



Display tables allows for presentation of small and unwieldy goods. The construction ensures that the display table is very stable and highly resistant to damages. The bottom reinforced with flat irons allows for exposition of goods with various sizes and weights. There is possibility of adjust the height of the bottom. The construction allows for easy disassembly of the table.



Standard finish: zinc plated + lacquer or bright chrome.

The bottom of the table is zinc plated + lacquer.


Technical data: Structure made of section, side meshes made of steel wire. Legs are screwed together with a lower frame and the side mesh panels are directly attached to the legs. Bottom made of steel wire is reinforced with flat iron.

Maximum loading: ca 100 kg (with equable spreading of the goods).

PRODUCT NAME	FINISH*	INDEX
Display table 600x600 H-850/400*	bright chrome	919-320-532
Display table 600x600 H-850/400	zinc plated + lacquer	919-351-069

* The bottom of the table is zinc plated.

THE BOTTOM SHELF TO THE DISPLAY TABLE 600X600




The bottom shelf can be assembled to the display table to provide an additional surface to sell or storage goods. It can be assemble to the table base. There is a price strip on the one side of the shelf.

Standard finish: zinc plated + lacquer or bright chrome.

Technical data: shelf made of wire, in front of the table there is a clamping, made of metal plate, to the price strip.

Maximum loading: ca 25 kg (with equable spreading of the goods).



The bottom shelf belongs to the additional equipment and it's adapted to assembly to display table 600x600.

PRODUCT NAME	FINISH	INDEX
The bottom shelf to the display table 600x600	bright chrome	919-320-534
The bottom shelf to the display table 600x600	zinc plated + lacquer	—

OVERHEAD ATTACHMENT TO THE DISPLAY TABLE 600X600




Standard finish: zinc plated + lacquer or bright chrome.
Technical data: basket and holders made of wire.
Maximum loading: ca 20 kg (with equable spreading of the goods).

An overhead attachment is a simple and reliable means for displaying lightweight products with small dimensions.

Easy assembly with the display table makes it possible to show a greater quantity of products, creating additional sales areas.

Overhead Attachment is mounted directly on the table 600x600.



PRODUCT NAME	FINISH	INDEX
Overhead attachment to the display table 600x600	bright chrome	919-320-533
Overhead attachment to the display table 600x600	zinc plated + lacquer	—

DISPLAY TABLE 800X600 H-850/650




Display tables allows for presentation of small and unwieldy goods. The construction ensures that the display table is very stable and highly resistant to damages. The bottom reinforced with flat irons allows for exposition of goods with various sizes and weights. There is possibility of adjust the height of the bottom. The construction allows for easy disassembly of the table.

Standard finish: zinc plated + lacquer or bright chrome. The bottom of the table is zinc plated + lacquer.

Technical data: Structure made of section, side meshes made of steel wire. Legs are screwed together with a lower frame and the side mesh panels are directly attached to the legs. Bottom made of steel wire is reinforced with flat iron.


Maximum loading: ca 100 kg (with equable spreading of the goods).



PRODUCT NAME	FINISH *	INDEX
Display table 800x600 H-850/650*	bright chrome	—
Display table 800x600 H-850/650	zinc plated + lacquer	919-350-919

* The bottom of the table is zinc plated.



EXPOSITION GRATING 1200X600 TO THE DISPLAY TABLE



Exposition grating assembled to the display table serve to presentation hanged goods. Easy way of assembly enable to install two grates one on another. The display grating belongs to the additional equipment and it's adapted to assembly on the display table 1200.

Standard finish: zinc plated + lacquer.

Technical data: grate made of flat iron and steelwire.



PRODUCT NAME	FINISH	FINISH
Exposition grating 1200x600 to the display table	zinc plated + lacquer	919-350-773

DUPMPING BASKET ON LEGS 54x54x82 CM




The ideal tool for promotion, sales and marketing campaigns.

Finish: zinc plated + lacquer.

Technical data: Structure made of spot welded wires.

Maximum loading: 75 kg



PRODUCT NAME	FINISH	INDEX
Dumping basket on legs 54X54X82 cm	zinc plated + lacquer	919-351-080


IN-OUT BASKET 615X650X860



In-out folded basket allows for presentation and sale goods. It has light and convenient construction, castors and the possibility to adjust a height of the basket's bottom. It's small dimensions after folding means that when a basket isn't being used, it doesn't take up excessive warehouse space. In-out basket can be used in markets, warehouses, gas stations and offices.



basket after folding down



Standard finish: zinc plated + lacquer.

Technical data: The structure made of wire; wire shelf, reinforced with flat iron, can be hung on different height; swivel castors $\varnothing 5$ mm with brakes 4 pcs.


Maximum loading:
(with equable spreading of the goods): 60 kg.

PRODUCT NAME	FINISH	INDEX
In-out Basket 615x650x860	zinc plated + lacquer	919-350-799

FOLDING BASKET DSK16 (550X390X770)



Basket after folding down




Its folded design ensures an attractive exposition. Folding baskets are used in the stores, warehouses, petrol stations, offices and households. Construction enable to adjust the height of the bottom. Ideal tool to promote, sell and marketing actions.

Standard finish: zinc plated + lacquer.

Technical data: Structure made of spot welded wires. The basket has folding sides and a bottom that can be placed at various heights.

Maximum loading: 40 kg




PRODUCT NAME	FINISH	INDEX
Folding basket DSK16 (550x390x770)	zinc plated + lacquer	919-351-128

FOLDING BASKET DSK 18 (550X550X770)



Basket after folding down




Its folded design ensures an attractive exposition. Folding baskets are used in the stores, warehouses, petrol stations, offices and households. Construction enable to adjust the height of the bottom. Ideal tool to promote, sell and marketing actions.

Standard finish: zinc plated + lacquer.

Technical data: Structure made of spot welded wires. The basket has folding sides and a bottom that can be placed at various heights.

Maximum loading: 50 kg



PRODUCT NAME	FINISH	INDEX
Folding basket DSK18 (550x550x770)	zinc plated + lacquer	919-351-132

FOLDING BASKET DSK 800X800 H780



Basket after folding down





Its folded design ensures an attractive exposition. Folding baskets are used in the stores, warehouses, petrol stations, offices and households. Construction enable to adjust the height of the bottom. Ideal tool to promote, sell and marketing actions.

Standard finish: zinc plated + lacquer.

Technical data: Structure made of spot welded wires. The basket has folding sides and a bottom that can be placed at various heights.

Maximum loading: 50 kg



PRODUCT NAME	FINISH	INDEX
Folding basket DSK 800x800 H780	zinc plated + lacquer	919-351-068