


EQUIPMENT FOR SHELVING,
SHOP SHELVING,
SHELVING AND EXHIBITION
STANDS POS & POP,
HOOKS AND BARRIERS FOR SHELVING




- 1 Stacking basket
- 2 Folding stacking basket KSD
- 3 Folding stacking basket KSC
- 4 Folding stacking basket KSC II
- 5 Folding stacking basket STKK
- 6 Stacking basket PG
- 7 Stacking basket PP
- 8 Shelving baskets BFR
- 9 Shelving baskets KR
- 10 Shelving above freezer
- 11 Shelving for fruit and vegetable's stand
- 12 Mobile shelving 1310x900x1600 with 6 shelves
- 13 A mobile stand for small non-food 1310x880x1600
- 14 Front stop for shelving H-80 (openwork 24,3)
- 15 Front stop for shelving H-60 (openwork 24,3)
- 16 Transverse partitions
- 17 Hooks
- 18 Shelving and exhibition stands POP & POS

The reproduce without prior permission is forbidden. In order to improve, the manufacturer reserves the right to implement modifications in its products. Recommendations for installation and use the products are provided for informational purposes only and does not imply any liability on the part of the manufacturer.

STACKING BASKETS

Example of application



Standard finish: zinc plated + lacquer or powder coated.

Technical data: The structure of basket made of spot welded wire. The bottom is reinforced with flat irons against deformation. Stacking feet made of wire. The movable chassis made of sections.

Maximum loading:



(with equable spreading of the goods): single basket - 100 kg, 3 stacked baskets - 100kg/50kg/50 kg.

Baskets are mainly intended for storage and loose display of fast-rotating goods in stores and supermarkets.

Possible use of baskets:

- setting on the racks shelf,
- placed directly on the ground,
- stacking baskets one on another,
- assembly on the movable chassis.


| TYPE OF THE BASKET | DIMENSIONS (mm) | | | | |
|--------------------|-----------------|-----|-----|-----|------|
| | a | b | c | d | e |
| 600x400 H-365 | 600 | 440 | 365 | 400 | 560 |
| 600x600 H-365 | 600 | 640 | 365 | 400 | 560 |
| 800x500 H-365 | 800 | 540 | 365 | 400 | 765 |
| 1200x500 H-365 | 1200 | 540 | 365 | 400 | 1165 |
| 1200x600 H-365 | 1200 | 640 | 365 | 400 | 1160 |
| 1200x700 H-365 | 1230 | 700 | 365 | 400 | 1190 |
| 1300x800 H-390 | 1335 | 800 | 390 | 420 | 1295 |



ADDITIONAL ACCESORIES:

Aesthetic wire divider can be used to divide the basket at any location, allowing a larger number of different products to be displayed. Base with wheels

Movable chassis



makes the baskets become an independent movable rack.

to the stacking basket


Divider to the basket

| PRODUCT NAME | FINISH | INDEX | FINISH | INDEX |
|---|---------------|-------------|-----------------------|-------------|
| Stacking basket 600x400 H-365 | powder coated | 919-343-840 | zinc plated + lacquer | _____ |
| Stacking basket 600x600 H-365 | powder coated | 919-343-026 | zinc plated + lacquer | _____ |
| Stacking basket 800x500 H-365 | powder coated | 919-344-001 | zinc plated + lacquer | _____ |
| Stacking basket 1200x500 H-365 | powder coated | 919-343-917 | zinc plated + lacquer | _____ |
| Stacking basket 1200x600 H-365 | powder coated | 919-342-994 | zinc plated + lacquer | 919-350-741 |
| Stacking basket 1200x700 H-365 | powder coated | 919-343-028 | zinc plated + lacquer | 919-350-742 |
| Stacking basket 1300x800 H-390 | powder coated | 919-343-030 | zinc plated + lacquer | _____ |
| ADDITIONAL EQUIPMENT | FINISH | INDEX | FINISH | INDEX |
| Divider to the basket 400 H-310 | powder coated | 919-343-841 | zinc plated + lacquer | _____ |
| Divider to the basket 500 H-310 | powder coated | 919-343-918 | zinc plated + lacquer | _____ |
| Divider to the basket 600 H-310 | powder coated | 919-342-995 | zinc plated + lacquer | 919-350-779 |
| Divider to the basket 700 H-310 | powder coated | 919-343-029 | zinc plated + lacquer | 919-350-743 |
| Divider to the basket 800 H-265 | powder coated | 919-343-031 | zinc plated + lacquer | _____ |
| Movable chassis to the stacking basket 600x400 | powder coated | 919-343-842 | zinc plated + lacquer | _____ |
| Movable chassis to the stacking basket 600x600 | powder coated | 919-343-027 | zinc plated + lacquer | _____ |
| Movable chassis to the stacking basket 1200x600 | powder coated | 919-342-996 | zinc plated + lacquer | 919-350-784 |

FOLDING STACKING BASKETS KSD (wire stacking feet)



Example of application



Example of application



Basket after folding down

Baskets are mainly intended for storage and loose display of fast-rotating goods in stores and supermarkets.

Possible use of baskets:

- setting on the racks shelf
- separate placed on the ground
- stacking baskets one on another
- assembly on the movable chassis

Its small dimensions after folding means that when a basket is not being used, it doesn't take up warehouse space.

Standard finish: zinc plated + lacquer .

Technical data: The structure of basket made of spot welded wire. The bottom is reinforced with flat irons against deformation under heavy loads. The movable chassis made of sections.



Maximum loading:

(with equable spreading of the goods):

single basket - 100 kg,

3 stacked baskets - 100kg/50kg/50 kg.

| TYPE OF THE BASKET | DIMENSIONS (mm) | | | | |
|--------------------|-----------------|-----|-----|-----|------|
| | a | b | c | d | e |
| 1210X670 H-400 | 1240 | 670 | 385 | 420 | 1205 |
| 600x640 H-400 | 600 | 620 | 365 | 400 | 560 |




ADDITIONAL ACCESORIES:

Aesthetic wire divider can be used to divide the basket at any location, allowing a larger number of different products to be displayed. Base with wheels makes the baskets become an independent movable rack.

Movable chassis to the stacking basket



Divider to the basket






| PRODUCT NAME | FINISH | INDEX |
|--|-----------------------|--------------|
| Folding stacking basket KSD 600x640 H-400 | zinc plated + lacquer | 919-350- 906 |
| Folding stacking basket KSD 1210x670 H-400 | zinc plated + lacquer | 919-350-935 |
| ADDITIONAL EQUIPMENT | FINISH | INDEX |
| Divider to folding stacking basket KSD 670 H-270 | zinc plated + lacquer | 919-350-788 |

Movable chassis to the folding stacking basket KSD 1210x670

zinc plated + lacquer

919-350-933

FOLDING STACKING BASKETS KSC (stacking feet made of channel bar)



Baskets are mainly intended for storage and loose display of fast-rotating goods In stores and supermarkets.

Possible use of baskets:


- setting on the racks shelf
- assembly on the pallet box 1200x800

Its small dimensions after folding means that when a basket is not being used, it doesn't take up warehouse space.

Standard finish: zinc plated + lacquer .

Technical data: The structure of basket made of spot welded wire. The bottom is reinforced with flat irons against deformation under heavy loads. Stacking feet made of channels bar.

Maximum loading: (with equable spreading of the goods): 100 kg



ADDITIONAL ACCESORIES:

Aesthetic wire divider can be used to divide the basket at any location, allowing a larger number of different products to be displayed.



Divider to the basket

| PRODUCT NAME | FINISH | INDEX |
|--|-----------------------|-------------|
| Folding stacking basket KSC 1210x670 H-400 | zinc plated + lacquer | 919-350-787 |
| ADDITIONAL EQUIPMENT | FINISH | INDEX |
| Divider to folding stacking basket 670 H-270 | zinc plated + lacquer | 919-350-788 |

FOLDING STACKING BASKETS KSC II (stacking feet made of channel bar)



Baskets are mainly intended for storage and loose display of fast-rotating goods in stores and supermarkets.

Possible use of baskets:

- setting on the racks shelf
- separate placed on the ground
- stacking baskets one on another
- assembly on the movable chassis (only basket 1210x670)

Its small dimensions after folding means that when a basket is not being used, it doesn't take up warehouse space.



Basket after folding down

Standard finish: zinc plated + lacquer .

Technical data: The structure of basket made of spot welded wire. The bottom is reinforced with flat irons against deformation under heavy loads. Stacking feet made of channels bar. The movable chassis made of sections.



Maximum loading:

(with equable spreading of the goods):

single basket - 100 kg,

3 stacked baskets - 100kg/50kg/50 kg.

| TYPE OF THE BASKET | DIMENSIONS (mm) | | | | |
|--------------------|-----------------|-----|-----|-----|------|
| | Basket | | | | |
| | a | b | c | d | e |
| 1210X670 H-400 | 1205 | 670 | 385 | 400 | 1217 |
| 1210X570 H-400 | 1205 | 570 | 385 | 400 | 1217 |
| 1210X470 H-400 | 1205 | 470 | 385 | 400 | 1217 |
| 1210X370 H-400 | 1205 | 370 | 385 | 400 | 1217 |



ADDITIONAL ACCESORIES:

Aesthetic wire divider can be used to divide the basket at any location, allowing a larger number of different products to be displayed. Base with wheels makes the baskets 1210x670 become an independent movable rack.

| PRODUCT NAME | FINISH | INDEX |
|--|-----------------------|-------------|
| Folding stacking basket 1210x670 H-400 | zinc plated + lacquer | 919-351-100 |
| Folding stacking basket 1210x570 H-400 | zinc plated + lacquer | 919-351-101 |
| Folding stacking basket 1210x470 H-400 | zinc plated + lacquer | 919-351-102 |
| Folding stacking basket 1210x370 H-400 | zinc plated + lacquer | 919-351-103 |

| ADDITIONAL EQUIPMENT | FINISH | INDEX |
|--|-----------------------|-------------|
| Divider H270 to folding stacking basket 670x400 | zinc plated + lacquer | 919-350-788 |
| Divider H270 to folding stacking basket 570x400 | zinc plated + lacquer | 919-351-104 |
| Divider H270to folding stacking basket 470x400 | zinc plated + lacquer | 919-351-105 |
| Divider H270 to folding stacking basket 370x400 | zinc plated + lacquer | 919-351-106 |
| Base with wheels to folding stacking basket 1200x670 | zinc plated + lacquer | 919-351-107 |

FOLDING STACKING BASKETS STKK (stacking feet made of closed channel bar)



Baskets are mainly intended for storage and loose display of fast-rotating goods in stores and supermarkets.

Possible use of baskets:

- setting on the racks shelf
- stacking baskets one on another

Its small dimensions after folding means that when a basket is not being used, it doesn't take up warehouse space.

Standard finish: zinc plated + lacquer .



Technical data: The structure of basket made of spot welded wire. The bottom is reinforced with flat irons against deformation under heavy loads. Stacking feet made of channel bar with closed ends to protect against displacement of stacked baskets.

Maximum loading:



(with equable spreading of the goods):

single basket - 100 kg,

3 stacked baskets - 100kg/50kg/50 kg.




| TYPE OF THE BASKET | DIMENSIONS (mm) | | | | |
|--------------------|-----------------|-----|----------|-----|-----|
| | a | b | Basket c | d | e |
| 940x680 H-435 | 955 | 600 | 435 | 455 | 940 |
| 940x580 H-450 | 955 | 580 | 470 | 490 | 940 |
| 500x580 H-450 | 515 | 580 | 470 | 490 | 500 |



| PRODUCT NAME | FINISH | INDEX |
|--|-----------------------|-------------|
| Folding stacking basket STKK 940x680 H-435 | zinc plated + lacquer | 919-343-812 |
| Folding stacking basket STKK 940x580 H-450 | zinc plated + lacquer | 919-350-856 |
| Folding stacking basket STKK 500x580 H-450 | zinc plated + lacquer | 919-350-920 |

STACKING BASKETS PG



Possible use of baskets: setting on the racks shelf, stacking baskets one on another, assembly on the movable chassis to the PG baskets.

Standard finish: zinc plated + lacquer or powder coated.


Technical data: The structure of basket made of spot welded wire. The bottom is reinforced with flat irons

Maximum loading:

(with equable spreading of the goods):

single basket - 100 kg,

3 stacked baskets - 100kg/50kg/50 kg.




| TYPE OF THE BASKET | DIMENSIONS (mm) | | | | |
|--------------------|-----------------|-----|-----|-----|------|
| | Basket | | | | |
| | a | b | c | d | e |
| 1195x460 H-300 | 1195 | 460 | 300 | 325 | 1206 |
| 1195x570 H-450 | 1195 | 570 | 450 | 475 | 1206 |
| 1220x570 H-300 | 1220 | 570 | 300 | 325 | 1206 |
| 1310x460 H-300 | 1295 | 460 | 300 | 325 | 1306 |
| 1310x570 H-300 | 1295 | 570 | 300 | 325 | 1306 |
| 1310x570 H-450 | 1295 | 570 | 450 | 475 | 1306 |
| 1310x910 H-300 | 1295 | 910 | 300 | 325 | 1306 |
| 1310x910 H-450 | 1295 | 910 | 450 | 475 | 1306 |

ADDITIONAL ACCESSORIES:

Aesthetic wire divider can be used to divide the basket at any location, allowing a larger number of different products to be displayed. Base makes the baskets become an independent rack.

| PRODUCT NAME | FINISH | INDEX | FINISH | INDEX |
|---|-----------------------|-------------|---------------|-------------|
| Stacking basket PG 1195x460 H-300 | zinc plated + lacquer | ———— | powder coated | 919-343-874 |
| Stacking basket PG 1195x570 H-450 | zinc plated + lacquer | ———— | powder coated | 919-343-875 |
| Stacking basket PG 1220x570 H-300 | zinc plated + lacquer | ———— | powder coated | 919-343-847 |
| Stacking basket PG 1310x460 H-300 | zinc plated + lacquer | 919-350-925 | powder coated | ———— |
| Stacking basket PG 1310x570 H-300 | zinc plated + lacquer | ———— | powder coated | 919-343-878 |
| Stacking basket PG 1310x570 H-450 | zinc plated + lacquer | 919-350-926 | powder coated | 919-343-877 |
| Stacking basket PG 1310x910 H-300 | zinc plated + lacquer | ———— | powder coated | 919-343-848 |
| Stacking basket PG 1310x910 H-450 | zinc plated + lacquer | ———— | powder coated | 919-343-849 |
| ADDITIONAL EQUIPMENT | FINISH | INDEX | FINISH | INDEX |
| Divider to stacking basket PG 460 H-300 | zinc plated + lacquer | ———— | powder coated | 919-343-879 |
| Divider to stacking basket PG 570 H-300 | zinc plated + lacquer | ———— | powder coated | 919-343-856 |
| Divider to stacking basket PG 570 H-450 | zinc plated + lacquer | ———— | powder coated | 919-343-880 |
| Divider to stacking basket PG 910 H-300 | zinc plated + lacquer | ———— | powder coated | 919-343-857 |
| Divider to stacking basket PG 910 H-450 | zinc plated + lacquer | ———— | powder coated | 919-343-858 |
| Base to the stacking basket PG 1195x570 | zinc plated + lacquer | ———— | powder coated | 919-343-882 |

STACKING BASKETS PP



Possible use of baskets:

- setting on the racks shelf,
- assembly on the movable chassis to the PG baskets.


Standard finish: powder coated or optionally zinc plated + lacquer .

Technical data: The structure of basket made of spot welded wire.

Maximum loading:

(with equable spreading of the goods): 50 kg

| TYPE OF THE BASKET | DIMENSIONS (mm) | | |
|--------------------|-----------------|-----|-----|
| | a | b | c |
| 1195x460 H-100 | 1195 | 460 | 100 |
| 1220x410 H-100 | 1220 | 410 | 100 |
| 1220x570 H-100 | 1220 | 570 | 100 |
| 1310x570 H-100 | 1295 | 570 | 100 |
| 1310x910 H-100 | 1295 | 910 | 100 |



ADDITIONAL ACCESORIES:

Aesthetic wire divider can be used to divide the basket at any location, allowing a larger number of different products to be displayed.




| PRODUCT NAME | FINISH | INDEX |
|---|---------------|-------------|
| Stacking basket PP 1195x460 H-100 | powder coated | 919-343-860 |
| Stacking basket PP 1220x410 H-100 | powder coated | 919-343-850 |
| Stacking basket PP 1220x570 H-100 | powder coated | 919-343-851 |
| Stacking basket PP 1310x570 H-100 | powder coated | 919-343-861 |
| Stacking basket PP 1310x910 H-100 | powder coated | 919-343-852 |
| ADDITIONAL EQUIPMENT | FINISH | INDEX |
| Divider to stacking basket PP 410 H-100 | powder coated | 919-343-853 |
| Divider to stacking basket PP 460 H-100 | powder coated | 919-343-883 |
| Divider to stacking basket PP 570 H-100 | powder coated | 919-343-854 |
| Divider to stacking basket PP 910 H-100 | powder coated | 919-343-855 |

SHELVING BASKETS BFR



The hook-in baskets to the racks are used to display and sell various goods.



Standard finish: powder coated or optionally zinc plated + lacquer.



Technical data: The structure of basket made of spot welded wire. The bottom is reinforced with flat bars, sides made of metal sheet enable to hook-in the shelf to the rack.

Divider made of spot welded wire

Maximum loading:


(with equable spreading of the goods): 100 kg.

| TYPE OF THE BASKET | DIMENSIONS (mm) | | | | |
|--------------------|-----------------|-----|-----|-----|-----|
| | a | b | c | d | e |
| BFR 1250x460 | 1250 | 460 | 190 | 225 | 522 |
| BFR 1250x560 | 1250 | 560 | 190 | 225 | 622 |




ADDITIONAL ACCESORIES:

Aesthetic wire divider can be used to divide the basket at any location, allowing a larger number of different products to be displayed.



| PRODUCT NAME | FINISH | INDEX |
|-------------------------------------|---------------|-------------|
| Shelving basket BFR 1250x460 | powder coated | 919-343-831 |
| Shelving basket BFR 1250x560 | powder coated | 919-343-832 |
| ADDITIONAL EQUIPMENT | FINISH | INDEX |
| Divider to shelving basket BFR T460 | powder coated | 919-343-833 |
| Divider to shelving basket BFR T560 | powder coated | 919-343-834 |

SHELVING BASKETS KR




The hook-in baskets to the racks is used to display and sell various goods.



Standard finish: zinc plated + lacquer .

Technical data: The structure of basket made of spot welded wire. The bottom is reinforced with flat bars, sides made of metal sheet enable to hook-in the shelf to the rack. Divider made of spot welded wire

Maximum loading:
(with equable spreading of the goods): 100 kg.




| TYPE OF THE BASKET | DIMENSIONS (mm) | | | | |
|--------------------|-----------------|-----|-----|-----|-----|
| | a | b | c | d | e |
| KR 1000x370 | 1000 | 370 | 182 | 228 | 430 |
| KR 1000x470 | 1000 | 470 | 182 | 228 | 530 |
| KR 1000x570 | 1000 | 570 | 182 | 228 | 630 |
| KR 1250x370 | 1250 | 370 | 182 | 228 | 430 |
| KR 1250x470 | 1250 | 470 | 182 | 228 | 530 |
| KR 1250x570 | 1250 | 570 | 182 | 228 | 630 |



ADDITIONAL ACCESSORIES:

Aesthetic wire divider can be used to divide the basket at any location, allowing a larger number of different products to be displayed.



| PRODUCT NAME | FINISH | INDEX |
|-----------------------------------|-----------------------|-------------|
| Shelving basket KR 1000x370 | zinc plated + lacquer | 919-350-911 |
| Shelving basket KR 1000x470 | zinc plated + lacquer | 919-350-838 |
| Shelving basket KR 1000x570 | zinc plated + lacquer | 919-350-837 |
| Shelving basket KR 1250x370 | zinc plated + lacquer | 919-350-912 |
| Shelving basket KR 1250x470 | zinc plated + lacquer | 919-350-836 |
| Shelving basket KR 1250x570 | zinc plated + lacquer | 919-350-835 |
| ADDITIONAL EQUIPMENT | FINISH | INDEX |
| Divider to shelving basket KR 370 | zinc plated + lacquer | 919-350-913 |
| Divider to shelving basket KR 470 | zinc plated + lacquer | 919-350-840 |
| Divider to shelving basket KR 570 | zinc plated + lacquer | 919-350-839 |

SHELVING ABOVE FREEZER



Shelving allow to use place above freezers to exposition and sale goods.


Standard finish: powder coated, zinc plated feet to the shelving.

Technical data: Legs made of section; metal shelves are assembled on brackets stacked into profiles. Whole is powder coated.

Maximum loading:

(with equable spreading of the goods)

- total load capacity of the rack - 240 kg
- load capacity of one side of the rack - 120 kg
- load capacity of one shelf - 120 kg



| SHELVING ABOVE FREEZER - elements | FINISH | INDEX |
|--|-----------------------|-------------|
| Column 80x30x2,5 mm, H-1540 mm | powder coated | 922-345-271 |
| Column's stopper 80x30 mm | — | WKPP 80x30 |
| Steel, zinc plated feet to the shelving | zinc plated + lacquer | 919-350x680 |
| Connector to the column L-1330 | powder coated | 922-345-274 |
| Metal shelf 1330x400 assembled on the brackets | powder coated | — |
| Shelf's bracket T-400 | powder coated | 922-345-277 |

SHELVING FOR FRUIT AND VEGETABLE'S STAND




Shelving can be used to exposition and sale fruits and vegetables.

Standard finish: powder coated; shelves and feet are zinc plated + lacquer.

Technical data: legs made of section, wire shelves assembled on brackets, that are stacked into profile. Shelving is assembled to the ground with chemical anchor.

Maximum loading:

- (with equable spreading of the goods)
- total load capacity of the rack - 240 kg
 - load capacity of one side of the rack - 120 kg
 - load capacity of one shelf - 120 kg



One or two levels of shelves

ADDITIONAL EQUIPMENT:

There is a possibility of assembly an additional equipment:

- Table under the scale,
- Double basket for bags on roll.

| SHELVING FOR FRUIT AND VEGETABLE'S STAND - elements | FINISH | INDEX |
|---|-----------------------|-------------|
| Column 80x30x2,5 mm, H-1540 mm | powder coated | 922-345-271 |
| Column's stopper 80x30 mm | — | WKPP 80x30 |
| Steel, zinc plated feet to the shelving | zinc plated + lacquer | 919-350x680 |
| Connector to the column L-1330 | powder coated | 922-345-274 |
| Wire shelf 1330x430 assembled on the brackets | powder coated | 919-342-926 |
| Shelf's bracket T- 400 | powder coated | 922-345-277 |

MOBILE SHELVING 1310X900X1600 WITH 6 SHELVES



Mobile shelving can be used for exposition and sale of goods. Special construction enables using different combination of placing shelves, including the possibility of adjustment angle and height of mounting shelf as well as raising lower shelf. Castors enable of easy moving. Mobile shelving can be used in stores, warehouses, petrol stations.


Finish: zinc plated + lacquer.

Technical data:

- Construction made of sections and bars
- Lower shelf: made of wire, reinforced with flat iron, folding
- Upper shelf: made of wire, reinforced with flat iron, assembled to the rack with catch; length 466 mm; 2 shelves on one level, normally three levels are assembly on rack (6 shelves).
- Swivel castors: Ø75 mm with brake; 4 pc.

Maximum loading:

static loading of the shelving – 420 kg
dynamic loading of the shelving – 240 kg
loading of the bottom shelf – 240 kg
loading of one level of shelves – 80 kg



| PRODUCT NAME | FINISH | INDEX |
|---|-----------------------|-------------|
| Mobile shelvig 1310x900x1600 with 6 shelves zinc plated | zinc plated + lacquer | 922-350-009 |

A MOBILE STAND FOR SMALL NON-FOOD 1310X880X1600



Standard finish: zinc plated.


Technical data: Legs of sections, back wall of wire mesh: basket and shelf of wire reinforced by flats, basket hanged up in perforation leg frame, a bottom shelf fixed on foot frame. A possibility of adjust the angle of inclination of hanging basket.

Loading:

Total loading of stand - 200 kg.


Loading of hanged up basket - 50 kg.

Loading of bottom shelf - 100 kg.



| PRODUCT NAME | FINISH | INDEX |
|---|-------------|-------------|
| A mobile stand for small non-food 1310x880x1600 | zinc plated | 922-350-019 |

FRONT STOP FOR SHELVING H-80 (OPENWORK 24,3)




Standard finish: zinc plated; chrome on request


Front stop for shelving 982x80 mm 982




Front stop for shelving 982x80 mm V2 982



Front stop for shelving 1230x80 mm 1230




Front stop for shelving 1230x80 mm V2 1230




| PRODUCT NAME | FINISH | INDEX |
|--|-----------------------|---------------|
| Front stop for shelving 982x80 mm (openwork 24,3 mm) | zinc plated + lacquer | 913-350-791 |
| Front stop for shelving 982x80 mm (openwork 24,3 mm) V2 | zinc plated + lacquer | 913-350-791v2 |
| Front stop for shelving 1230x80 mm (openwork 24,3 mm) | zinc plated + lacquer | 913-350-792 |
| Front stop for shelving 1230x80 mm (openwork 24,3 mm) V2 | zinc plated + lacquer | 913-350-792v2 |

FRONT STOP FOR SHELVING H-60 (OPENWORK 24,3)





Standard finish: zinc plated;
chrome on request

Front stop for shelving H-60 mm:




| PRODUCT NAME | FINISH | INDEX |
|--|-----------------------|-------------|
| Front stop for shelving 580x60 mm (openwork 24,3 mmm) | zinc plated + lacquer | 919-351-175 |
| Front stop for shelving 780x60 mm (openwork 24,3 mmm) | zinc plated + lacquer | 919-351-173 |
| Front stop for shelving 982x60 mm (openwork 24,3 mmm) | zinc plated + lacquer | 919-351-072 |
| Front stop for shelving 1230x60 mm (openwork 24,3 mmm) | zinc plated + lacquer | 919-351-073 |
| Front stop for shelving 1310x60 mm (openwork 24,3 mmm) | zinc plated + lacquer | 919-351-174 |


TRANSVERSE PARTITION MADE OF WIRE



The transverse partition L-370 made of wire



The transverse partition L-470 made of wire




The transverse partition is used on the shelves
Standard finish: zinc plated + lacquer

| PRODUCT NAME | FINISH | INDEX |
|---|-----------------------|-------------|
| The transverse partition L-370 made of wire | zinc plated + lacquer | 919-351-190 |
| The transverse partition L-470 made of wire | zinc plated + lacquer | 919-351-191 |

HOOKS

A variety of designs and means for mounting on racks, grates, railings, etc. means that every customer will find a solution that meets his expectations. The hooks are available in a broad range of galvanic coatings (i.a. chrome, satin chrome, zinc) or powder coated.

Examples:




SHELVING AND EXHIBITION STANDS POS & POP

Damix is a well-known manufacturer in the POS & POP industry.

We respond to Customer's requirements with solutions in range of displaying and selling of the goods - various types of displays, interior furnishing components, shelving solutions (adapted to various systems), hooks, hangers and other accessories. We design our own products or support our Customers in the design process, beginning from concept to final production. We cooperate with direct customers, as well as with design bureaus and advertising agencies. This webpage only shows a few examples of designs that were implemented, just as a sample of our production capabilities.

In most cases these are protected designs.

This page show only some of our products, making them a sample of our production capabilities.



SHELVING AND EXHIBITION STANDS POS & POP

Examples:



SHELVING AND EXHIBITION STANDS POS & POP

Examples:

