


SPECIAL RETAIL EQUIPMENT



- 1 Packaging table
- 2 Mobile desk
- 3 Isothermal bag's rack
- 4 Double basket for bags on roll
- 5 The grip to the basket for bags on roll fixed to the shelf bracket
- 6 The rack with the grip to the basket for bags on roll
- 7 The rack with the grip to the basket for bags on roll 160 mm
- 8 Rack for poly bags, paper bags and gloves
- 9 Stand with tray for flyers A4 and A5
- 10 Grip with the tray for flyers A4 and A5
- 11 Grip with tray for flyers A4 and A5 mounted on screw
- 12 4-shelf stand with regulation
- 13 Vegetable stand S2 with regulation
- 14 Vegetable stand S3 with regulation
- 15 Stand for cut flowers
- 16 3-shelf stand with regulation
- 17 Round basket KO-850x600
- 18 Stand for waste segregation (for 3 sacks)
- 19 Lockers for clients bags
- 20 Outdoor gondola
- 21 Accessories for cooling devices

The reproduce without prior permission is forbidden. In order to improve, the manufacturer reserves the right to implement modifications in its products. Recommendations for installation and use the products are provided for informational purposes only and does not imply any liability on the part of the manufacturer.

PACKAGING TABLE





Packaging table is used to packing and repacking of the goods bought in the shop.

Standard finish: powder coated, wire mesh zinc plated.

Technical data: structure made of sections, table top made of metal sheet, lower shelf made of steel wires.

Maximum loading: upper shelf ca 200 kg, lower shelf ca 100 kg (with equable spreading of the goods).



PRODUCT NAME	FINISH	INDEX
Packaging table	powder coated	919-343-025




Workstation can be relocated thanks to swivel wheels, including two wheels with brakes.

Safety:

The box locking ensures the safety of stored assets. Height can be adjusted each 110 mm.

Standard coating:

Chassis in black, box in red.



PRODUCT NAME	FINISH	INDEX
Mobile desk	zinc + powder coating	919-351-370

ISOTHERMAL BAG'S RACK




The freestanding rack allows for presentation and sell isothermal bags. It is used mostly next to the cooling devices.

Standard finish: zinc plated + lacquer.



Technical data: Rack composed of elements: base made of bended plate and leg made of section with welded flat, which is used to assembly rack to the base. Grip for isothermal bags, made of wire and flat, can be assembly to the rack . Assembly to the ground with chemical anchor.

Maximum loading: 5 kg.




■ ADDITIONAL ACCESORIES:

Grip to the rack for isothermal bags



PRODUCT NAME	FINISH	INDEX
Isothermal bag's rack	zinc plated + lacquer	919-350-698
ADDITIONAL EQUIPMENT	FINISH	INDEX
Grip to the rack for isothermal bags	zinc plated + lacquer	919-350-699

DOUBLE BASKET FOR BAGS ON ROLL



Basket for bags on roll is hopper for rolls with plastic bags. It is used to place bags on roll in a convenient

place (e.g. near the vegetable stand). Thanks three kind of grips the basket can be fixed in any place in any configuration on the vegetable stand.


Standard finish: zinc plated + lacquer.

Technical data: Basket made of wire and tube.

Maximum loading: ca 10 kg.

Capacity of the basket:


- maximum diameter of roll \varnothing 85 mm,
- maximum length of roll 260 mm.



ADDITIONAL ACCESORIES:

The grip to the basket fixed to the shelf bracket (right, left, universal)

The rack with the grip to the basket for bags on roll



PRODUCT NAME	FINISH	INDEX
Double basket for bags on roll	zinc plated + lacquer	919-350-685
ADDITIONAL EQUIPMENT	FINISH	INDEX
Right grip for basket for bags on roll	zinc plated + lacquer	919-350-688
Left grip for basket for bags on roll	zinc plated + lacquer	919-350-687
Universal grip for basket for bags on roll	zinc plated + lacquer	919-350-686
The rack with the grip to the basket for bags on roll	zinc plated + lacquer	919-350-828

THE GRIP TO THE BASKET FOR BAGS ON ROLL FIXED TO THE SHELF BRACKET



The grip is designed for fixing a basket for bags on roll on the racks shelf by screwing the grip to the shelf bracket. The basket for bags on roll is fixed to the grip by putting the basket onto the tube and fasten by screw.

Standard finish: zinc plated + lacquer.



Technical data: Grip made of tube and section.

Maximum loading: ca 10 kg.



Right grip



Left grip



Universal grip



PRODUCT NAME	FINISH	INDEX
Right grip to the basket for bags on roll fixed to the shelf bracket	zinc plated + lacquer	919-350-688
Left grip to the basket for bags on roll fixed to the shelf bracket	zinc plated + lacquer	919-350-687
Universal grip to the basket for bags on roll fixed to the shelf bracket	zinc plated + lacquer	919-350-686
ELEMENTS ADAPTED FOR ASSEMBLY WITH THE GRIP	FINISH	INDEX
Double basket for bags on roll	zinc plated + lacquer	919-350-685

THE RACK WITH THE GRIP TO THE BASKET FOR BAGS ON ROLL




Stand for the basket on a roll is one of the solutions to put rolls of foil bags anywhere in the store, including, inter alia, the fruit and vegetable stand.

Standard finish: zinc plated + lacquer.


Technical data: Leg is made of the pipe, base made of plate. The basket is fixed to the rack by screwing the basket to the racks leg.

Maximum loading: ca 10 kg.



PRODUCT NAME	FINISH	INDEX
The rack with the grip to the basket for bags on roll	zinc plated + lacquer	919-350-828
ELEMENTS ADAPTED FOR ASSEMBLY WITH THE GRIP	FINISH	INDEX
Double basket for bags on roll	zinc plated + lacquer	919-350-685

THE RACK WITH THE GRIP TO THE BASKET FOR BAGS ON ROLL Ø160 MM




Stand for the basket on a roll is one of the solutions to put rolls of foil bags anywhere in the store, including, inter alia, the fruit and vegetable stand. The big dimension of the basket that we applied allows for placing 2 rolls with dimensions up to 160 mm and the length to 290 mm.

Standard finish: zinc plated + lacquer or powder coated (standard color RAL 7012).

Technical data: Leg is made of the pipe, base made of plate. The basket is fixed to the rack by screwing the basket to the racks leg.


Maximum loading: ca 10 kg.

Capacity of the basket:
- maximum diameter of roll 160 mm,
- maximum length of roll 290 mm.



PRODUCT NAME		FINISH	INDEX
The rack with the grip to the basket for bags on roll	160 mm	Pulverlack	922-345-511
The rack with the grip to the basket for bags on roll	160 mm	zinc plated + lacquer	

RACK FOR POLY BAGS, PAPER BAGS AND GLOWES



Standard finish : chrome

Technical data: The structure made of section, plate and wire. Components screwed with screws.


Maximum loading:

Grip for poly bags - 10 kg,

Hook for gloves - 5 kg,

Basket for bags - 10 kg,

Bottom shelf - 20 kg.



PRODUCT NAME	FINISH	INDEX
Rack for poly bags, paper bags and glowes	chrome	919-320-568


STAND WITH TRAY FOR FLYERS A4 AND A5



Stand with tray for flyers serves as a freestanding display for flyers A4 and A5

Standard finish: zinc plated + lacquer.

Technical data: Construction of the stand is made of bent pipe, metal base and grip made of metal plate. The tray for leaflet is bolted to the grip. The tray is made of wire.



PRODUCT NAME	FINISH	INDEX
Stand with tray for flyers A4 and A5	zinc plated + lacquer	919-351-031


GRIP WITH THE TRAY FOR FLYERS A4 AND A5



The grip with the tray serves as a display for leaflets A4 and A5. Grip is mounted on a horizontal pipe which is for example the part of customer guidance system or trolley pass.


Standard finish: zinc plated + lacquer.

Technical data: Construction of grip is made of metal plate, to which the tray for leaflet is bolted. The tray is made of wire. The grip is mounted on a horizontal pipe using the mounting rod tightened with wing nuts.



PRODUCT NAME	FINISH	INDEX
Grip with the tray for flyers A4 and A5	zinc plated + lacquer	919-351-032

GRIP WITH TRAY FOR FLYERS A4 AND A5




The grip with the tray serves as a display for leaflets A4 and A5. Grip is mounted on a horizontal pipe which is for example the part of customer guidance system or trolley pass.



Standard finish: zinc plated + lacquer.

Technical date: Grip with tray is turned by screws. A tray made of wire. Grip is mounted on horizontal tube $\varnothing 40$ mm through its application on the tube and tightening screw fixing.

An example of application – assembly on partition:



An example of application – assembly on entry barrier:



PRODUCT NAME	FINISH	INDEX
Grip with tray for flyers A4 and A5 mounted on screw	zinc plated + lacquer	919-351-259v2

4-SHELF STAND WITH REGULATION




The stand allows for presentation and sell packaged goods (i.a. candies, cookies in boxes).


Standard finish: zinc plated + lacquer, optionally: upper frame zinc plated + powder coated

Technical data: stand made of sections and pipes; masking frame made of perforated metal sheet; castors fi 80, 4 shelves made of perforated metal sheet mounted on the stand with bracket. There is a possibility of adjust the height of fixing the shelves and of adjust the slope of the frame. Racks construction allows for folding the stand to the very small size. Front stops on the shelves protect from sliding off the goods.

Maximum loading: 15 kg on one shelf.



The stand after folding down



PRODUCT NAME	FINISH	INDEX
4-shelf stand with regulation	zinc plated + powder coated	919-343-893
4-shelf stand with regulation	zinc plated + lacquer	—

VEGETABLE STAND S2 WITH REGULATION




Stand is designed for exhibition and sale of fruits and vegetables placed on the boxes. On one rack, you can put 2 boxes.


Standard finish: zinc plated + lacquer, optionally: upper frame powder coated.

Technical data: Rack made of sections and pipes; castors $\varnothing 80$ mm. There is a possibility to adjust the tilt of the frame. Rack construction allows to folding a rack to the very small size.

Maximum loading: 75 kg.




Size of the folded stand: 1260x415x120 mm.



PRODUCT NAME	FINISH	INDEX
Vegetable stand S2 with regulation	zinc plated + lacquer	919-350-940

VEGETABLE STAND S3 WITH REGULATION




The stand after folding down

Stand is designed for exhibition and sale of fruits and vegetables placed on the boxes. On one rack, you can put 3 boxes.

Standard finish: zinc plated + lacquer, optionally: upper frame powder coated.

Technical data: Rack made of sections and pipes; castors Ø 80 mm. There is a possibility to adjust the tilt of the frame. Rack construction allows to folding a rack to the very small size. Size of the folded stand: 1260x615x120 mm.

Maximum loading: 100 kg.




PRODUCT NAME	FINISH	INDEX
Vegetable stand S3 with regulation	zinc plated + lacquer	919-350-905

STAND FOR CUT FLOWERS





The stand on wheels for cut flowers is made of steel profile ,with 3 rims for buckets with flowers.

Standard finish: zinc plated or powder painted.



PRODUCT NAME	FINISH	INDEX
Stand for cut flowers	zinc plated + lacquer	919-351-041

3-SHELF STAND WITH REGULATION



Standard finish: powder coated.

Technical data: The frame is made of section, wire shelves bolted to the frame, possibility of adjust the height of the shelves on the required level. Two wheels attached to the rear legs make it easy to move the rack.

Plate for logo is optional equipment.

PRODUCT NAME	FINISH	INDEX
3-shelf stand with regulation with plate for logo	powder coated	922-345-504
3-shelf stand with regulation without plate for logo	powder coated	922-345-636

ROUND BASKET KO 850x600

Basket with base



Basket with base and cover (option)





basket



basket's cover



basket's base



A big basket on a wire base is intended to rubbish. As the option, it's possible to put wire cover for baskets which protects falling of the rubbish.

Standard cover: galvanized zinc + lacquer.

Technical data: basket, base and cover made of wire.

The basket is fixed to the wire base with the usage of metal clamps.

PRODUCT NAME	FINISH	INDEX
Round basket KO 850x600	galvanized zinc + lacquer	_____
Round basket's cover KO-850x600 (option)	galvanized zinc + lacquer	919-351-302

STAND FOR WASTE SEGREGATION (FOR 3 SACKS)



In connection with the amendment of the Act on maintaining cleanliness and order in municipalities we meet the needs of municipalities and communes as well as households in the segregation of waste and protect the environment. Stand for waste segregation is a simple and versatile tool for segregate garbage into three basic types.




Light and simple design allows for easy assembly and distribution of the rack.

The way of mounting the garbage sacks with rubber putted on the rim is very quick and simple.

Standard finish: zinc plated + lacquer or zinc plated + powder coated (standard colors RAL 7016 and RAL 6005).

Technical data: construction made of sections, rims and covers made of metal sheet. The covers are hinged, used elastic rubber band on the rim protects the bag from sliding off the rim. You can fix the stand to the ground.



PRODUCT NAME	FINISH	INDEX
Stand for waste segregation (for 3 sacks)	zinc plated + lacquer	919-351-040
Stand for waste segregation (for 3 sacks)	zinc plated + powder coated	919-343-969

LOCKERS FOR CLIENTS BAGS



Safe for clients bags (8 hiding place),
Safe for clients bags (10 hiding place)

Technical data: The deposit cabinet is available in two options with 8 boxes or 10 boxes.




PRODUCT NAME	FINISH	INDEX
Lockers for clients bags (8 hiding place)	powder coated	SZAFKA_02X04
Lockers for clients bags (10 hiding place)	powder coated	SZAFKA_02X05

OUTDOOR GONDOLA (for the sale of goods on petrol stations)



This gondola with a rolling shutter and wheels is a presentation device mainly used to display and store materials that are particularly sensitive to external factors. Due to its structure and the use of shelves inside, the gondola can be used to store smaller products, such as those in containers and bottles. This product is particularly dedicated to the petrol stations. Due to its built-in lock, the rolling aluminum shutter ensures the safety of the goods located inside. An additional advantage of the gondola is its wheels, allowing it to be easily moved.



Standard finish: electroplated with zinc and next polyester powder coated.

Technical data: The gondola is made of metal sheet, sections and flat irons that reinforce its construction. It is equipped with an aluminum rolling shutter that has special plastic sliders, a push button type lock with a set of keys, four brackets, two perforated shelves for displaying of the goods and four polyamide wheels with a diameter of 100 mm (two of the wheels are equipped with breaks).

Maximum loading:
(with equable loading):
shelf - 75 kg,
bottom of the gondola - 150 kg.

In the option one can be install anchors for fixing to the ground or regulated feet instead of wheels.

PRODUCT NAME	FINISH	INDEX
Outdoor gondola (for the sale of goods on petrol stations)	electroplated with zinc and next polyester powder coated	922-345-225

ACCESSORIES FOR COOLING DEVICES

Applied coatings:

- zinc plated + powder coated,
- polyethylene,
- rilsan.

Examples of project implementation:

