



Platform trolley is a concrete logistical proposition for the shops or garden and constructional markets. It allows for comfortable and handy transportation of purchased goods. Good constructional solutions (wooden or wire platform, variety of the size of the platform, optional top wire basket, interesting design of the bottom structure with use of round, oval or rectangular profiles, oval or round handles) make us to be up with different expectations of our Customers. Connection of ergonomic construction with aesthetic form and manufacture make shopping with our trolleys feel like pleasure.

Handles used in our shopping trolleys are adapted inter alia to the locks for coins produced by company Systec POS-technology GmbH.



TRANSPORT TROLLEYS

- Pallet P2
- 2 Transport trolley Vario WTP-3
- 3 Transport trolley Vario WTP-3 for travelator
- Transport trolley Vario WTP-3KP
- 5 Transport trolley Vario WTP-3D
- 6 Transport trolley Vario WTP-3A
- 7 Transport trolley Vario 70 PN-1
- 8 Transport trolley Vario 90
- Transport trolley Vario 90S 9
- 10 Transport trolley Vario 110
- 11 Transport trolley Vario 110S
- 12 Transport trolley Vario 110PK
- 13 Transport trolley Vario 120
- 14 Transport trolley Vario 120S
- 15 Transport trolley Carry 80
- 16 Transport trolley Carry 85
- 17 Transport trolley Carry 90
- 18 Transport trolley Carry 90 for travelator
- 19 Transport trolley Carry 95
- 20 Transport trolley Carry 100
- 21 Transport trolley Carry 100 for travelator
- 22 Transport trolley Carry 100ZR
- 23 Transport trolley Carry 120
- 24 Transport trolley Carry 160
- 25 Transport trolleyCarry 120M
- 26 Panel transporter Carry WP1A
- 27 Panel transporter Carry WP3
- 28 Panel transporter Carry WP3B
- 29 Panel transporter Carry WP4
- 30 Panel transporter Carry WP4A
- 31 Panel transporter Carry WP4BW
- 32 Panel transporter Carry WP5


The reproduce without prior permission is forbidden. In order to improve, the manufacturer reserves the right to implement modifications in its products. Recommendations for installation and use the products are provided for informational purposes only and does not imply any liability on the part of the manufacturer.

PALLET P2-1100X600





TYPE	Pallet	
	P2-1100x600	
LOADING	400 kg	
WHEEL DIAMETER	160 mm	



PRODUCT NAME	FINISH	INDEX
Pallet P2-1100x600	zinc plated+lacquer	919-351-207


TRANSPORT TROLLEY VARIO WTP-3





TYPE	Vario WTP-3	
BASKET CAPACITY	45 I	
LOADING OF BASKET	45 kg	
TOTAL LOADING	300 kg	
WHEEL DIAMETER	125 mm	
NESTING DISTANCE	285 mm	

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.



PRODUCT NAME	FINISH	INDEX
Transport trolley Vario WTP-3	zinc plated + lacquer	919-351-129

TRANSPORT TROLLEY VARIO WTP-3 FOR TRAVELATOR








TYPE	Vario WTP-3
	for travelator
BASKET CAPACITY	45 I
LOADING OF BASKET	45 kg
TOTAL LOADING	130 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	285 mm

The trolley has wheels for travelator and front stop barrier. Optional accessories (inter alia coin lock, logo and other accessories) require separate arrangements.



PRODUCT NAME	FINISH	INDEX
Transport trolley Vario WTP-3 for travelator	zinc plated + lacquer	919-351-129




TRANSPORT TROLLEY VARIO WTP-3KP (with the shelf and the basket)





TYPE	Vario WTP-3KP	
BASKET CAPACITY	20	
LOADING OF BASKET	20 kg	
LOADING OF SHELF	20 kg	
TOTAL LOADING	300 kg	
WHEEL DIAMETER	125 mm	
NESTING DISTANCE	390 mm	







In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.

PRODUCT NAME	FINISH	INDEX
Transport trolley Vario WTP-3KP	zinc plated+lacquer	919-351-129_KP

TRANSPORT TROLLEY VARIO WTP-3D (with wire shelf)











ТҮРЕ	Vario WTP-3D
LOADING OF BASKET	20 kg
TOTAL LOADING	300 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	285 mm

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.





PRODUCT NAME	FINISH	INDEX
Transport trolley Vario WTP-3D	zinc plated+lacquer	

TRANSPORT TROLLEY VARIO WTP-3A











TYPE	Vario WTP-3A	
BASKET CAPACITY	45 I	
LOADING OF BASKET	45 kg	
LOADING OF	50 kg	
ADDITIONAL SIDE SET		
TOTAL LOADING	300 kg	
WHEEL DIAMETER	125 mm	
NESTING DISTANCE	285 mm	

The additional set mounted on the side of the trolley is intended for transport of a long items with dimensions not exceeding 1000mmin height and 2400mmin length, ie tubes, strips, boards, doors. **Standard finish:** galvanized zinc,






In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.

PRODUCT NAME	FINISH	INDEX
Transport trolley Vario WTP-3A	zinc plated+lacquer	

TRANSPORT TROLLEY VARIO 70 (PN-1)







PRODUCT NAME	FINISH	INDEX
Transport trolley Vario 70 (PN-1)	zinc plated+lacquer	919-351-216

TRANSPORT TROLLEY VARIO 90



full platform	

TYPE	Vario 90
BASKET CAPACITY	32
LOADING OF BASKET	32 kg
TOTAL LOADING	300 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	270 mm


Trolley is available in the option:

- with the wire platform,
- with full platform (platform of plywood, anti-slip, waterproof, double-sided foiled).

Standard finish:

zinc plated, sides are additionally powder coated, what enriches the aesthetics of the trolley and composes with color scheme of the shop.

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.



PRODUCT NAME	FINISH	INDEX
Transport trolley Vario 90	zinc plated/powder coated	919-350-725

TRANSPORT TROLLEY VARIO 90S (with folded basket)



ТҮРЕ	Vario 90S	
BASKET CAPACITY	30 I (folded basket)	
	55 I (unfolded basket)	
LOADING OF BASKET	40 kg	
TOTAL LOADING	300 kg	
WHEEL DIAMETER	125 mm	
NESTING DISTANCE	270 mm	


Standard finish:


zinc plated, sides are additionally powder coated, what enriches the aesthetics of the trolley and composes with color scheme of the shop.

Trolley is available in the option:

- with the wire platform,
- with full platform (platform of plywood, anti-slip, waterproof, double-sided foiled).









PRODUCT NAME	FINISH	INDEX
Transport trolley Vario 90S	zinc plated/powder coated	919-350-750

TRANSPORT TROLLEY VARIO 110





TYPE	Vario 110
BASKET CAPACITY	37 I
LOADING OF BASKET	37 kg
TOTAL LOADING	300 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	280 mm




Trolley is available in the option:

- with the wire platform,
- with full platform (platform of plywood, anti-slip, waterproof, double-sided foiled)
- with the plastic platform.

Standard finish:

zinc plated, sides are additionally powder coated, what enriches the aesthetics of the trolley and composes with color scheme of the shop.

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.



PRODUCT NAME	FINISH	INDEX
Transport trolley Vario 110	zinc plated/powder coated	919-350-746

TRANSPORT TROLLEY VARIO 110S (with folded basket)



TYPE	Vario 110S
BASKET CAPACITY	40 I (folded basket)
	65 I (unfolded basket)
LOADING OF BASKET	40 kg
TOTAL LOADING	300 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	280 mm


Trolley is available in the option:

- with the wire platform,
- with full platform (platform of plywood, anti-slip, waterproof, double-sided foiled)
- with the plastic platform.

Standard finish:

zinc plated, sides are additionally powder coated, what enriches the aesthetics of the trolley and composes with color scheme of the shop.







unfolded basket

folded basket

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.





PRODUCT NAME	FINISH	INDEX
Transport trolley Vario 110S (wooden platform)	zinc plated/powder coated	919-350-780
Transport trolley Vario 110S (wire platform)	zinc plated/powder coated	919-350-751

TRANSPORT TROLLEY VARIO 110PK





As a standard is the trolley with one front bar (mounted to the platform).

TYPE	Vario 110PK
BASKET CAPACITY	15
LOADING OF BASKET	15 kg
TOTAL LOADING	300 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	275 mm


Standard finish:

zinc plated, sides are additionally powder coated, what enriches the aesthetics of the trolley and composes with color scheme of the shop.



ADDITIONAL EQUIPMENT:

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.



PRODUCT NAME	FINISH	INDEX
Transport trolley Vario 110PK	zinc plated/powder coated	919-350-900

TRANSPORT TROLLEY VARIO 120



TYPE	Vario 120
BASKET CAPACITY	40 I
LOADING OF BASKET	40 kg
TOTAL LOADING	400 kg
WHEEL DIAMETER	160 mm
NESTING DISTANCE	320 mm

Trolley is available in the option:


- with the wire platform,
- with full platform (platform of plywood, anti-slip, waterproof, double-sided foiled).



Standard finish:

zinc plated, sides are additionally powder coated, what enriches the aesthetics of the trolley and composes with color scheme of the shop.

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.



Clipboard A4 for Vario 120 (option)



PRODUCT NAME	FINISH	INDEX
Transport trolley Vario 120	zinc plated/powder coated	919-350-738
Clipboard A4 for Vario 120 (option)	stainless steel	919-380-698

TRANSPORT TROLLEY VARIO 120S (with folded basket)



TYPE	Vario 120S
BASKET CAPACITY	40 I (folded basket)
	70 I (unfolded basket)
LOADING OF BASKET	40 kg
TOTAL LOADING	400 kg
WHEEL DIAMETER	160 mm
NESTING DISTANCE	320 mm

Trolley is available in the option:


- with the wire platform,
- with full platform (platform of plywood, anti-slip, waterproof, double-sided foiled).



Standard finish:

zinc plated, sides are additionally powder coated, what enriches the aesthetics of the trolley and composes with color scheme of the shop.

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.






PRODUCT NAME	FINISH	INDEX
Transport trolley Vario 120S	zinc plated/powder coated	919-350-778


TRANSPORT TROLLEY CARRY 80




- Trolley is available in the option:
 with the wire platform,
 with full platform (platform of plywood, anti-slip, waterproof, double-sided foiled).

TYPE	Carry 80
LOADING	300 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	285 mm











ADDITIONAL EQUIPMENT:

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.

PRODUCT NAME	FINISH	INDEX
Transport trolley Carry 80	zinc plated +lacquer	919-350-798




TYPE	Carry 85
TOTAL LOADING	200 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	335 mm

Trolley designed for shopping in garden and DYI stores, supermarkets facilities and production companies. It is stable and manoeuvrable.

Weight capacity up to 200kg enable the transport of heavy and bulky items. Swivel wheels \emptyset 125mm ensure optimal manoeuvrability. Ergonomic side handles guarantee better shopping experience. Optional coin lock is protection against the theft.

Standard finish:

zinc plated+lacquer.



PRODUCT NAME	FINISH	INDEX
Transport trolley Carry 85	zinc plated+lacquer	919-351-381

TRANSPORT TROLLEY CARRY 90



As a standard is the trolley with one front bar (mounted to the lifted hatch) or optional without bars.

TYPE	Carry 90
LOADING	300 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	250 mm

Standard finish:

zinc plated, sides are additionally powder coated, what enriches the aesthetics of the trolley and composes with color scheme of the shop.

ADDITIONAL EQUIPMENT:

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.



	=			
510	1200		1010	
640		y	1155	

PRODUCT NAME	FINISH	INDEX
Transport trolley Carry 90	zinc plated/powder coated	919-342-998

TRANSPORT TROLLEY CARRY 90 FOR TRAVELATOR



As a standard is the trolley with one front bar (mounted to the lifted hatch), with bumper at front and castors for travelator.

TYPE	Carry 90 for travelator
LOADING	130 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	250 mm

Standard finish:

zinc plated, sides are additionally powder coated, what enriches the aesthetics of the trolley and composes with color scheme of the shop.

ADDITIONAL EQUIPMENT:

- mast,
- lateral logo made of plexi with the graphics, - coin lock.

Optional accessories require separate arrangements.



510	1200	1010
◆ 040	. —	————

PRODUCT NAME	FINISH	INDEX
Transport trolley Carry 90 for travelator	zinc plated/powder coated	919-343-023

TRANSPORT TROLLEY CARRY 95




TYPE	Carry 95
LOADING	300 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	310 mm

Standard finish:

zinc plated, optionally legs are additionally powder coated.

Trolley with full platforms is available in the option with one bar or without bars.



ADDITIONAL EQUIPMENT:

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.

PRODUCT NAME	FINISH	INDEX
Transport trolley Carry 95	zinc plated + lacquer	919-351-217




TYPE	Carry 100
	for travelator
LOADING	130 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	275 mm

The trolley has full platform (platform of plywood,anti-slip, waterproof, double-sided foiled), wheels for travelator and front stop barrier.

Standard finish:

czinc plated, sides are additionally powder coated, what enriches the aesthetics of the trolley and composes with color scheme of the shop.



PRODUCT NAME	FINISH	INDEX
Transport trolley Carry 100 for travelator	zinc plated/powder coated	919-343-024

TRANSPORT TROLLEY CARRY 100







Trolley with full platforms is available in the option with one or two front bar (mounted to the lifted hatch) or without bars. Other platforms without bars.


TYPE	Carry 100
LOADING	300 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	275 mm

Trolley is available in the option:

- with the wire platform,
- with full platform (platform of plywood, anti-slip, waterproof, double-sided foiled),
- with the plastic platform.

Standard finish:

zinc plated, sides are additionally powder coated, what enriches the aesthetics of the trolley and composes with color scheme of the shop.



ADDITIONAL EQUIPMENT:

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate





PRODUCT NAME	FINISH	INDEX
Transport trolley Carry 100	zinc plated/powder coated	919-343-024

TRANSPORT TROLLEY CARRY 100ZR (with closed handle)




Trolley is available in the option with one or two front bar (mounted to the lifted hatch) or without bars.

TYPE Carry 100	
LOADING	300 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	275 mm

Standard finish:

zinc plated, sides are additionally powder coated, what enriches the aesthetics of the trolley and composes with color scheme of the shop.



■ ADDITIONAL EQUIPMENT:

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.



PRODUCT NAME	FINISH	INDEX
Transport trolley Carry 100ZR	zinc plated/powder coated	919-343-808

TRANSPORT TROLLEY CARRY 120






Trolley is available in the option:

- with the wire platform,
- with full platform (platform of plywood, anti-slip, waterproof, double-sided foiled).

TYPE	Carry 120
LOADING	400 kg
WHEEL DIAMETER	160 mm
NESTING DISTANCE	320 mm

As a standard is the trolley with the wooden platform have two

front bars (mounted to the lifted hatch), optional is available with one bar or without bars. Other platforms without bars.



Standard finish:

zinc plated, sides are additionally powder coated, what enriches the aesthetics of the trolley and composes with color scheme of the shop.

ADDITIONAL EQUIPMENT:

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.



PRODUCT NAME	FINISH	INDEX
Transport trolley Carry 120	zinc plated/powder coated	919-343-793

TRANSPORT TROLLEY CARRY 160



As a standard is the trolley with two front bars (mounted to the lifted hatch), optional is available with one bar or without bars.

ТҮРЕ	Carry 160
LOADING	500 kg
WHEEL DIAMETER	200 mm
NESTING DISTANCE	445 mm

Standard finish:

zinc plated, sides are additionally powder coated, what enriches the aesthetics of the trolley and composes with color scheme of the shop.

ADDITIONAL EQUIPMENT:

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.








PRODUCT NAME	FINISH	INDEX
Transport trolley Carry 160	zinc plated/powder coated	919-343-791

TRANSPORT TROLLEY CARRY 120M





TYPE	Carry 120M
BASKET CAPACITY	50 I
LOADING	500 kg
WHEEL DIAMETER	160 mm
FINISH	zinc plated
	+ thermal setting lacquer
NESTING DISTANCE	340 mm



Additional equipment: Clipboard A4.







PRODUCT NAME	FINISH	INDEX
Transport trolley Carry 120M	zinc plated + lacquer	919-351-204

TRANSPORT TROLLEY CARRY WP1A





Trolley for transport of drywall, furniture boards, plywoods, doors, etc. with a height not exceeding 1500 mm.



PRODUCT NAME	FINISH	INDEX
Transport trolley Carry WP1A	zinc plated + powder coated	919-344-017


TRANSPORT TROLLEY CARRY WP3






ТҮРЕ	Carry WP3
TOTAL LOADING	300 kg
LOADING OF BASKET	30kg
WHEEL DIAMETER	160 mm

Trolley for transport of drywall, furniture boards, plywoods, doors, etc. with a height not exceeding 2000 mm.





Optional equipment: basket to the transport trolley WP3



PRODUCT NAME	FINISH	INDEX
Transport trolley Carry WP3	zinc plated/powder coated	919-344-048
Basket to the transport trolley Carry WP3 (optional equipment)	zinc plated+lacquer	919-351-258

TRANSPORT TROLLEY CARRY WP3B









TYPE	Carry WP3B
TOTAL LOADING	300 kg
LOADING OF BASKET	50 kg
WHEEL DIAMETER	160 mm

Trolley for transport of drywall, furniture boards, plywoods, doors, etc. with a height not exceeding 2000 mm, optionally with wire basket.






PRODUCT NAME	FINISH	INDEX
Transport trolley Carry WP3B	zinc plated + powder coated	

PANEL TRANSPORTER CARRY WP4





TYPE	Carry WP4
TOTAL LOADING	300 kg
LOADING OF SHELF	50 kg
LOADING OF BASKET	50 kg
WHEEL DIAMETER	200 mm
NESTING DISTANCE	280 mm



Trolley for transport of drywall, furniture boards, plywoods, doors, etc. with a height not exceeding 1250 mm.

ADDITIONAL EQUIPMENT:

- basket,
- shelf,
- board with logo.

Additionally the trolley is equipped with a wire basket to transport small parts.

PRODUCT NAME	FINISH	INDEX
Panel transporter Carry WP4	zinc plated+lacquer/powder coated 919-343-	
ADDITIONAL EQUIPMENT	FINISH INDEX	
Basket to the panel transporter Carry WP4	zinc plated+lacquer 919-350	
Shelf to the panel transporter Carry WP4	zinc plated+lacquer	919-350-891
Board with logo	zinc plated+lacquer/powder coated	


PANEL TRANSPORTER CARRY WP4A



TYPE	Carry WP4A
TOTAL LOADING	300 kg
LOADING OF BASKET	50 kg
WHEEL DIAMETER	200 mm
NESTING DISTANCE	430 mm

Trolley for transport of drywall, furniture boards, plywoods, doors, etc. with a height not exceeding 1250 mm.

Additionally the trolley is equipped with a wire basket to transport small parts.




PRODUCT NAME	FINISH	INDEX
Panel transporter Carry WP4A	zinc plated+powder coated	919-344-015

PANEL TRANSPORTER CARRY WP4BW







*2438 mm-the first level of regulation (the handle of trolley is mounted on bottom hole) 2192 mm-the second level of regulation (the handle of trolley is mounted on middle hole) 1945 mm-the third level of regulation (the handle of trolley is mounted on upper hole)

TYPE	Carry
	WP4BW
LOADING	200 kg
WHEEL DIAMETER	160 mm
NESTING	280 mm
DISTANCE	


The trolley is intended to carry cardboard and gypseous plates as well furniture plates, plywoods and door till the height 2100 mm. Optionally the trolley can be equipped with shelf and wire basket for small items.




tro and eq (w and

trolley with additional equipment (wire shelf and basket)


The way of the plate putting:



The maximum width of plate:




Maximum and minimum height of plate for a particular level of regulation:




PRODUCT NAME	FINISH	INDEX
Panel transporter Carry WP4BW	zinc plated+lacquer	919-344-077







ТҮРЕ	CARRY WP5
TOTAL LOADING	300 kg
WHEEL DIAMETER	160 mm
NESTING DISTANCE	300 mm





Ø 160 mm - 2 back wheels with brakes ensure the safety of goods on trolley. Coin lock system and the mast anti-theft with customisable flag allow you to be vigilent against theft.

Capacity:

Trolley's dimensions allow to locate large products.

Zinc + powder coating

Options:

- one or two baskets,
- metal sheetmast with possibility of personalized flag.

PRODUCT NAME	FINISH	INDEX
Panel transporter Carry WP5	zinc + powder coating	919-351-368