



— glas verde —






Top in vetro anta battente/Glas top with hinged doors

GVVE046A AB BV

	a=1790
	b=492
	c=446
	57,00
	1
	LA2



GVVE046AL AB BV

	a=1790
	b=492
	c=446
	57,00
	1
	LA5

GVVE060A AB BV

	a=1790
	b=632
	c=446
	65,00
	1
	LA2




GVVE060AL AB BV

	a=1790
	b=632
	c=446
	65,00
	1
	LA5

GVVE046A AB BL

	a=1795
	b=492
	c=446
	58,00
	1
	LA2



GVVE046AL AB BL

	a=1795
	b=492
	c=446
	58,00
	1
	LA5

GVVE060A AB BL

	a=1795
	b=632
	c=446
	65,00
	1
	LA2




GVVE060AL AB BL

	a=1795
	b=632
	c=446
	65,00
	1
	LA5

GVVE090A AB BV

	a=1790
	b=932
	c=446
	90,00
	1
	LA2




GVVE090AL AB BV

	a=1790
	b=932
	c=446
	90,00
	1
	LA5

GVVE0120A AB BV

	a=1790
	b=1232
	c=446
	121,00
	1
	LA2




GVVE0120AL AB BV

	a=1790
	b=1232
	c=446
	121,00
	1
	LA5

GVVE090A AB BL

	a=1795
	b=932
	c=446
	90,00
	1
	LA2



GVVE090AL AB BL

	a=1795
	b=932
	c=446
	90,00
	1
	LA5

GVVE0120A AB BL

	a=1795
	b=1232
	c=446
	121,00
	1
	LA2



GVVE0120AL AB BL

	a=1795
	b=1232
	c=446
	121,00
	1
	LA5


Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19






Top in legno con faretti anta battente/Wood top with spotlights and hinged doors

GVVE046A AB BLI

mm	a=1855
	b=492
	c=446
Kg	61,00
	1
	LA2
€	




GVVE046AL AB BLI

mm	a=1855
	b=492
	c=446
Kg	61,00
	1
	LA5
€	

GVVE060A AB BLI

mm	a=1855
	b=632
	c=446
Kg	66,00
	1
	LA2
€	



GVVE060AL AB BLI

mm	a=1855
	b=632
	c=446
Kg	66,00
	1
	LA5
€	

GVVE090A AB BLI

mm	a=1855
	b=932
	c=446
Kg	91,00
	1
	LA2
€	



GVVE090AL AB BLI

mm	a=1855
	b=932
	c=446
Kg	91,00
	1
	LA5
€	

GVVE0120A AB BLI

mm	a=1855
	b=1232
	c=446
Kg	122,00
	1
	LA2
€	



GVVE0120AL AB BLI

mm	a=1855
	b=1232
	c=446
Kg	122,00
	1
	LA5
€	

GVVE046AL AB BL



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamine paneel mm 19 • Panel melaminico mm 19



LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19






Top in vetro anta battente con mobile AG/Glas top with hinged doors and counter AG

GVVE046M AB BV AG

	a=1790
	b=492
	c=446
	76,00
	1
	LA2



GVVE046ML AB BV AG

	a=1790
	b=492
	c=446
	76,00
	1
	LA5

GVVE060M AB BV AG

	a=1790
	b=632
	c=446
	85,00
	1
	LA2



GVVE060ML AB BV AG

	a=1790
	b=632
	c=446
	78,00
	1
	LA5

GVVE046M AB BL AG

	a=1795
	b=492
	c=446
	76,00
	1
	LA2



GVVE046ML AB BL AG

	a=1795
	b=492
	c=446
	76,00
	1
	LA5

GVVE060M AB BL AG

	a=1795
	b=632
	c=446
	85,00
	1
	LA2



GVVE060ML AB BL AG

	a=1795
	b=632
	c=446
	85,00
	1
	LA5

GVVE090M AB BV AG

	a=1790
	b=932
	c=446
	121,00
	1
	LA2



GVVE090ML AB BV AG

	a=1790
	b=932
	c=446
	121,00
	1
	LA5

GVVE120M AB BV AG

	a=1790
	b=1232
	c=446
	162,00
	1
	LA2



GVVE120ML AB BV AG

	a=1790
	b=1232
	c=446
	162,00
	1
	LA5

GVVE090M AB BL AG

	a=1795
	b=932
	c=446
	121,00
	1
	LA2



GVVE090ML AB BL AG

	a=1795
	b=932
	c=446
	121,00
	1
	LA5

GVVE120M AB BL AG

	a=1795
	b=1232
	c=446
	162,00
	1
	LA2



GVVE090ML AB BL AG

	a=1795
	b=1232
	c=446
	162,00
	1
	LA5


Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons


LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19



Top in legno anta battente con faretti con mobile AG/Wood top with hinged doors and counter AG

GVVE046M AB BLI AG

mm	a=1855
	b=492
	c=446
Kg	77,00
	1
	LA2
€	




GVVE046ML AB BLI AG

mm	a=1855
	b=492
	c=446
Kg	77,00
	1
	LA5
€	



GVVE060M AB BLI AG

mm	a=1855
	b=632
	c=446
Kg	86,00
	1
	LA2
€	




GVVE060ML AB BLI AG

mm	a=1855
	b=632
	c=446
Kg	86,00
	1
	LA5
€	




GVVE090M AB BLI AG

mm	a=1855
	b=932
	c=446
Kg	122,00
	1
	LA2
€	



GVVE090ML AB BLI AG

mm	a=1855
	b=932
	c=446
Kg	122,00
	1
	LA5
€	




GVVE120M AB BLI AG

mm	a=1855
	b=1232
	c=446
Kg	163,00
	1
	LA2
€	



GVVE120ML AB BLI AG

mm	a=1855
	b=1232
	c=446
Kg	163,00
	1
	LA5
€	



Top in vetro anta battente con mobile AL/Glas top with hinged doors and counter AL

GVVE046M AB BV AL

mm	a=1790
	b=492
	c=446
Kg	80,00
	1
	LA2
€	



GVVE046ML AB BV AL

mm	a=1790
	b=492
	c=446
Kg	80,00
	1
	LA5
€	



GVVE060M AB BV AL

mm	a=1790
	b=632
	c=446
Kg	90,00
	1
	LA2
€	



GVVE060ML AB BV AL

mm	a=1790
	b=632
	c=446
Kg	81,00
	1
	LA5
€	




GVVE090M AB BV AL

mm	a=1790
	b=932
	c=446
Kg	128,00
	1
	LA2
€	



GVVE090ML AB BV AL

mm	a=1790
	b=932
	c=446
Kg	138,00
	1
	LA5
€	




GVVE120M AB BV AL

mm	a=1790
	b=1232
	c=446
Kg	170,00
	1
	LA2
€	




GVVE120ML AB BV AL

mm	a=1790
	b=1232
	c=446
Kg	170,00
	1
	LA5
€	




Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19





Top in legno anta battente con mobile AL/Wood top with hinged doors and counter AL

GVVE046M AB BL AL

	a=1795
	b=492
	c=446
	79,00
	1
	LA2



GVVE046ML AB BL AL

	a=1795
	b=492
	c=446
	79,00
	1
	LA5



GVVE060M AB BL AL

	a=1795
	b=632
	c=446
	90,00
	1
	LA2



GVVE060ML AB BL AL

	a=1795
	b=632
	c=446
	90,00
	1
	LA5




GVVE090M AB BL AL

	a=1795
	b=932
	c=446
	128,00
	1
	LA2



GVVE090ML AB BL AL

	a=1795
	b=932
	c=446
	138,00
	1
	LA5




GVVE120M AB BL AL

	a=1795
	b=1232
	c=446
	170,00
	1
	LA2



GVVE120ML AB BL AL

	a=1795
	b=1232
	c=446
	170,00
	1
	LA5




GVVE090ML AB BV AL




Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19



Top in legno con faretti anta battente con mobile AL/Wood top with spotlights and hinged doors and counter AL

GVVE046M AB BLI AL

mm	a=1855
	b=492
	c=446
Kg	80,00
	1
	LA2
€	



GVVE046ML AB BLI AL

mm	a=1855
	b=492
	c=446
Kg	80,00
	1
	LA5
€	

GVVE060M AB BLI AL

mm	a=1855
	b=632
	c=446
Kg	91,00
	1
	LA2
€	



GVVE060ML AB BLI AL

mm	a=1855
	b=632
	c=446
Kg	91,00
	1
	LA5
€	

GVVE090M AB BLI AL

mm	a=1855
	b=932
	c=446
Kg	129,00
	1
	LA2
€	



GVVE090ML AB BLI AL

mm	a=1855
	b=932
	c=446
Kg	129,00
	1
	LA5
€	

GVVE120M AB BLI AL

mm	a=1855
	b=1232
	c=446
Kg	171,00
	1
	LA2
€	



GVVE120ML AB BLI AL

mm	a=1855
	b=1232
	c=446
Kg	171,00
	1
	LA5
€	

GVVE046ML AB BLI AL



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imbaltati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imbaltati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19





Top in vetro anta battente con mobile C3/Glas top with hinged doors and counter C3

GVVE046M AB BV C3

	a=1790
	b=492
	c=446
	82,00
	1
	LA2



GVVE046ML AB BV C3

	a=1790
	b=492
	c=446
	82,00
	1
	LA5



GVVE060M AB BV C3

	a=1790
	b=632
	c=446
	96,00
	1
	LA2



GVVE060ML AB BV C3

	a=1790
	b=632
	c=446
	96,00
	1
	LA5




GVVE090M AB BV C3

	a=1790
	b=932
	c=446
	138,00
	1
	LA2



GVVE090ML AB BV C3

	a=1790
	b=932
	c=446
	138,00
	1
	LA5




GVVE120M AB BV C3

	a=1790
	b=1232
	c=446
	182,00
	1
	LA2



GVVE120ML AB BV C3

	a=1790
	b=1232
	c=446
	182,00
	1
	LA5




GVVE090M AB BV C3




Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19





Top in legno anta battente con mobile C3/Wood top with hinged doors and counter C3

GVVE046M AB BL C3

	a=1795
	b=492
	c=446
	82,00
	1
	LA2



GVVE046ML AB BL C3

	a=1795
	b=492
	c=446
	82,00
	1
	LA5

GVVE060M AB BL C3

	a=1795
	b=632
	c=446
	96,00
	1
	LA2



GVVE060ML AB BL C3

	a=1795
	b=632
	c=446
	96,00
	1
	LA5

GVVE090M AB BL C3

	a=1795
	b=932
	c=446
	138,00
	1
	LA2



GVVE090ML AB BL C3

	a=1795
	b=932
	c=446
	138,00
	1
	LA5

GVVE120M AB BL C3

	a=1795
	b=1232
	c=446
	182,00
	1
	LA2



GVVE120ML AB BL C3

	a=1795
	b=1232
	c=446
	182,00
	1
	LA5

Top in legno anta battente con faretti con mobile C3/Wood top with hinged doors and counter C3

GVVE046M AB BLI C3

	a=1855
	b=492
	c=446
	83,00
	1
	LA2



GVVE046ML AB BLI C3

	a=1855
	b=492
	c=446
	83,00
	1
	LA5

GVVE060M AB BLI C3

	a=1855
	b=632
	c=446
	97,00
	1
	LA2



GVVE060ML AB BLI C3

	a=1855
	b=632
	c=446
	97,00
	1
	LA5

GVVE090M AB BLI C3

	a=1855
	b=932
	c=446
	139,00
	1
	LA2



GVVE090ML AB BLI C3

	a=1855
	b=932
	c=446
	139,00
	1
	LA5

GVVE120M AB BLI C3

	a=1855
	b=1232
	c=446
	183,00
	1
	LA2




GVVE120ML AB BLI C3

	a=1855
	b=1232
	c=446
	183,00
	1
	LA5


Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19



Top in vetro anta battente con mobile LS/Glas top with hinged doors and counter LS

GVVE090M AB BV LS

mm	a=1790
	b=932
	c=446
Kg	137,00
	1
	LA2
€	



GVVE090ML AB BV LS

mm	a=1790
	b=932
	c=446
Kg	137,00
	1
	LA5
€	




GVVE120M AB BV LS

mm	a=1790
	b=1232
	c=446
Kg	176,00
	1
	LA2
€	



GVVE120ML AB BV LS

mm	a=1790
	b=1232
	c=446
Kg	176,00
	1
	LA5
€	



Top in legno con faretti anta battente con mobile LS/Wood top with spotlights and hinged doors and counter LS

GVVE090M AB BLI LS

mm	a=1855
	b=932
	c=446
Kg	138,00
	1
	LA2
€	



GVVE090ML AB BLI LS

mm	a=1855
	b=932
	c=446
Kg	138,00
	1
	LA5
€	




GVVE120M AB BLI LS

mm	a=1855
	b=1232
	c=446
Kg	177,00
	1
	LA2
€	



GVVE120ML AB BLI LS

mm	a=1855
	b=1232
	c=446
Kg	177,00
	1
	LA5
€	



Top in legno anta battente con mobile LS/Wood top with hinged doors and counter LS

GVVE090M AB BL LS

mm	a=1795
	b=932
	c=446
Kg	137,00
	1
	LA2
€	



GVVE090ML AB BL LS

mm	a=1795
	b=932
	c=446
Kg	137,00
	1
	LA5
€	




GVVE120M AB BL LS

mm	a=1795
	b=1232
	c=446
Kg	176,00
	1
	LA2
€	



GVVE120ML AB BL LS

mm	a=1795
	b=1232
	c=446
Kg	176,00
	1
	LA5
€	



GVVE120M AB BL LS



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19





Top in vetro anta battente con mobile AV
Glas top with hinged doors and counter AV

GVVE090M AB BV AV

mm	a=1790
	b=932
	c=446
Kg	125,00
	1
	LA2
€	



GVVE090ML AB BV AV

mm	a=1790
	b=932
	c=446
Kg	125,00
	1
	LA5
€	

Top in legno anta battente con mobile AV
Wood top with hinged doors and counter AV

GVVE090M AB BL AV

mm	a=1795
	b=932
	c=446
Kg	126,00
	1
	LA2
€	



GVVE090ML AB BL AV

mm	a=1795
	b=932
	c=446
Kg	126,00
	1
	LA5
€	

Top in vetro anta battente con mobile AGC3
Glas top with hinged doors and counter AGC3

GVVE120M AB BV AGC3

mm	a=1790
	b=1232
	c=446
Kg	170,00
	1
	LA2
€	



GVVE120ML AB BV AGC3

mm	a=1790
	b=1232
	c=446
Kg	170,00
	1
	LA5
€	

Top in legno anta battente con mobile AGC3
Wood top with hinged doors and counter AGC3

GVVE120M AB BL AGC3

mm	a=1795
	b=1232
	c=446
Kg	170,00
	1
	LA2
€	




GVVE120ML AB BL AGC3

mm	a=1795
	b=1232
	c=446
Kg	170,00
	1
	LA5
€	

Top in legno con faretti anta battente con mobile AV/Wood top with and counter AV

GVVE090M AB BLI AV

mm	a=1855
	b=932
	c=446
Kg	127,00
	1
	LA2
€	



GVVE090ML AB BLI AV

mm	a=1855
	b=932
	c=446
Kg	127,00
	1
	LA5
€	

Top in legno con faretti anta battente con mobile AGC3/Wood top with and counter AGC3

GVVE120M AB BLI AGC3

mm	a=1855
	b=1232
	c=446
Kg	171,00
	1
	LA2
€	




GVVE120ML AB BLI AGC3

mm	a=1855
	b=1232
	c=446
Kg	171,00
	1
	LA5
€	

Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19





Top in vetro anta battente con mobile AGAL
Glas top with hinged doors and counter AGAL


GVVE120M AB BV AGAL

	a=1790
	b=1232
	c=446
	165,00
	1
	LA2



GVVE120ML AB BV AGAL

	a=1790
	b=1232
	c=446
	165,00
	1
	LA5



Top in legno anta battente con mobile AGAL
Wood top with hinged doors and counter AGAL


GVVE120M AB BL AGAL

	a=1795
	b=1232
	c=446
	165,00
	1
	LA2



GVVE120ML AB BL AGAL

	a=1795
	b=1232
	c=446
	165,00
	1
	LA5



Top in legno con faretti anta battente con mobile AGAL/Wood top with and counter AGAL


GVVE120M AB BLI AGAL

	a=1855
	b=1232
	c=446
	166,00
	1
	LA2




GVVE120ML AB BLI AGAL

	a=1855
	b=1232
	c=446
	166,00
	1
	LA5



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



GVVE120M AB BL AGAL



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19






Top in vetro anta scorrevole/Glas top with sliding doors

GVVE046A AS SV

	a=1790
	b=492
	c=446
	52,10
	1
	LA2




GVVE046AL AS SV

	a=1790
	b=492
	c=446
	52,10
	1
	LA5

GVVE060A AS SV

	a=1790
	b=632
	c=446
	66,00
	1
	LA2




GVVE060AL AS SV

	a=1790
	b=632
	c=446
	66,00
	1
	LA5

GVVE090A AS SV

	a=1790
	b=932
	c=446
	91,00
	1
	LA2



GVVE090AL AS SV

	a=1790
	b=932
	c=446
	91,00
	1
	LA5

GVVE0120A AS SV

	a=1790
	b=1232
	c=446
	122,00
	1
	LA2



GVVE0120AL AS SV

	a=1790
	b=1232
	c=446
	122,00
	1
	LA5

GVVE046A AS SV




Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19






Top in legno anta scorrevole/Wood top with sliding doors

GVVE046A AS SL

	a=1795
	b=492
	c=446
	58,00
	1
	LA2




GVVE046AL AS SL

	a=1795
	b=492
	c=446
	58,00
	1
	LA5

GVVE060A AS SL

	a=1795
	b=632
	c=446
	66,00
	1
	LA2




GVVE060AL AS SL

	a=1795
	b=632
	c=446
	66,00
	1
	LA5

GVVE046A AS SLI

	a=1855
	b=492
	c=446
	60,00
	1
	LA2




GVVE046AL AS SLI

	a=1855
	b=492
	c=446
	60,00
	1
	LA5

GVVE060A AS SLI

	a=1855
	b=632
	c=446
	67,00
	1
	LA2




GVVE060AL AS SLI

	a=1855
	b=632
	c=446
	67,00
	1
	LA5

GVVE090A AS SL

	a=1795
	b=932
	c=446
	91,00
	1
	LA2




GVVE090AL AS SL

	a=1795
	b=932
	c=446
	91,00
	1
	LA5

GVVE0120A AS SL

	a=1795
	b=1232
	c=446
	122,00
	1
	LA2




GVVE0120AL AS SL

	a=1795
	b=1232
	c=446
	122,00
	1
	LA5

GVVE090A AS SLI

	a=1855
	b=932
	c=446
	92,00
	1
	LA2



GVVE090AL AS SLI

	a=1855
	b=932
	c=446
	92,00
	1
	LA5

GVVE0120A AS SLI

	a=1855
	b=1232
	c=446
	123,00
	1
	LA2




GVVE0120AL AS SLI

	a=1855
	b=1232
	c=446
	122,00
	1
	LA5


Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19






Top in vetro anta scorrevole con mobile AG/Glas top with sliding doors and counter AG

GVVE046M AS SV AG

	a=1790
	b=492
	c=446
	78,00
	1
	LA2




GVVE046ML AS SV AG

	a=1795
	b=492
	c=446
	78,00
	1
	LA5



GVVE060M AS SV AG

	a=1790
	b=632
	c=446
	86,00
	1
	LA2



GVVE060ML AS SV AG

	a=1790
	b=632
	c=446
	86,00
	1
	LA5




GVVE090M AS SV AG

	a=1790
	b=932
	c=446
	122,00
	1
	LA2




GVVE090ML AS SV AG

	a=1790
	b=932
	c=446
	122,00
	1
	LA5




GVVE120M AS SV AG

	a=1790
	b=1232
	c=446
	163,00
	1
	LA2



GVVE120ML AS SV AG

	a=1790
	b=1232
	c=446
	163,00
	1
	LA5




GVVE046A AS SV AG




Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19






Top in legno anta scorrevole con mobile AG/Wood top with sliding doors and counter AG

GVVE046M AS SL AG

	a=1795
	b=492
	c=446
	78,00
	1
	LA2




GVVE046ML AS SL AG

	a=1795
	b=492
	c=446
	78,00
	1
	LA5

GVVE060M AS SL AG

	a=1795
	b=632
	c=446
	86,00
	1
	LA2



GVVE060ML AS SL AG

	a=1795
	b=632
	c=446
	86,00
	1
	LA5

GVVE090M AS SL AG

	a=1795
	b=932
	c=446
	122,00
	1
	LA2



GVVE090ML AS SL AG

	a=1795
	b=932
	c=446
	122,00
	1
	LA5

GVVE120M AS SL AG

	a=1795
	b=1232
	c=446
	163,00
	1
	LA2




GVVE120ML AS SL AG

	a=1795
	b=1232
	c=446
	163,00
	1
	LA5

Top in legno con faretti anta scorrevole con mobile AG/Wood top with spotlights and sliding doors and counter AG

GVVE046M AS SLI AG

	a=1855
	b=492
	c=446
	79,00
	1
	LA2



GVVE046ML AS SLI AG

	a=1855
	b=492
	c=446
	79,00
	1
	LA5

GVVE060M AS SLI AG

	a=1855
	b=632
	c=446
	87,00
	1
	LA2



GVVE060ML AS SLI AG

	a=1855
	b=632
	c=446
	87,00
	1
	LA5

GVVE090M AS SLI AG

	a=1855
	b=932
	c=446
	123,00
	1
	LA1



GVVE090ML AS SLI AG

	a=1855
	b=932
	c=446
	123,00
	1
	LA5

GVVE120M AS SLI AG

	a=1855
	b=1232
	c=446
	164,00
	1
	LA1




GVVE120ML AS SLI AG

	a=1855
	b=1232
	c=446
	164,00
	1
	LA5


Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19






Top in vetro anta scorrevole con mobile AL/Glas top with sliding doors and counter AL

GVVE046M AS SV AL

	a=1790
	b=492
	c=446
	81,00
	1
	LA2



GVVE046ML AS SV AL

	a=1790
	b=492
	c=446
	81,00
	1
	LA5

GVVE060M AS SV AL

	a=1790
	b=632
	c=446
	91,00
	1
	LA2




GVVE060ML AS SV AL

	a=1790
	b=632
	c=446
	91,00
	1
	LA5

GVVE090M AS SV AL

	a=1790
	b=932
	c=446
	129,00
	1
	LA2



GVVE090ML AS SV AL

	a=1790
	b=932
	c=446
	129,00
	1
	LA5

GVVE120M AS SV AL

	a=1790
	b=1232
	c=446
	171,00
	1
	LA2




GVVE120ML AS SV AL

	a=1790
	b=1232
	c=446
	171,00
	1
	LA5

GVVE046M AS SL AL

	a=1795
	b=492
	c=446
	81,00
	1
	LA2




GVVE046ML AS SL AL

	a=1795
	b=492
	c=446
	81,00
	1
	LA5

GVVE060M AS SL AL

	a=1795
	b=632
	c=446
	91,00
	1
	LA2



GVVE060ML AS SL AL

	a=1795
	b=632
	c=446
	91,00
	1
	LA5

GVVE090M AS SL AL

	a=1795
	b=932
	c=446
	129,00
	1
	LA2



GVVE090ML AS SL AL

	a=1795
	b=932
	c=446
	129,00
	1
	LA5

GVVE120M AS SL AL

	a=1795
	b=1232
	c=446
	171,00
	1
	LA2



GVVE120ML AS SL AL


	a=1795
	b=1232
	c=446
	171,00
	1
	LA5

Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19

Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19





Top in legno con faretti anta scorrevole con mobile AL/Wood top with spotlights and sliding doors and counter AL

GVVE046M AS SLI AL

	a=1855
	b=492
	c=446
	82,00
	1
	LA2



GVVE046ML AS SLI AL

	a=1855
	b=492
	c=446
	82,00
	1
	LA5




GVVE060M AS SLI AL

	a=1855
	b=632
	c=446
	92,00
	1
	LA2




GVVE060ML AS SLI AL

	a=1855
	b=632
	c=446
	92,00
	1
	LA5




GVVE090M AS SLI AL

	a=1855
	b=932
	c=446
	130,00
	1
	LA2



GVVE090ML AS SLI AL

	a=1855
	b=932
	c=446
	130,00
	1
	LA5




GVVE120M AS SLI AL

	a=1855
	b=1232
	c=446
	172,00
	1
	LA2



GVVE120ML AS SLI AL

	a=1855
	b=1232
	c=446
	172,00
	1
	LA5




GVVE120M AS SV AL




Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19





Top in vetro anta scorrevole con mobile C3/Glas top with sliding doors and counter C3


GVVE046M AS SV C3

mm	a=1790 b=492 c=446
Kg	84,00
	1
	LA2
€	



GVVE046ML AS SV C3

mm	a=1790 b=492 c=446
Kg	84,00
	1
	LA5
€	



GVVE060M AS SV C3

mm	a=1790 b=632 c=446
Kg	97,00
	1
	LA2
€	



GVVE060ML AS SV C3

mm	a=1790 b=632 c=446
Kg	97,00
	1
	LA5
€	




GVVE090M AS SV C3

mm	a=1790 b=932 c=446
Kg	139,00
	1
	LA1
€	



GVVE090ML AS SV C3

mm	a=1790 b=932 c=446
Kg	139,00
	1
	LA5
€	




GVVE120M AS SV C3

mm	a=1790 b=1232 c=446
Kg	183,00
	1
	LA1
€	




GVVE120ML AS SV C3

mm	a=1790 b=1232 c=446
Kg	183,00
	1
	LA5
€	



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



GVVE046M AS SV C3



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19





Top in legno anta scorrevole con mobile C3/Wood top with sliding doors and counter C3

GVVE046M AS SL C3

	a=1795
	b=492
	c=446
	84,00
	1
	LA2



GVVE046ML AS SL C3

	a=1795
	b=492
	c=446
	84,00
	1
	LA5

GVVE060M AS SL C3

	a=1795
	b=632
	c=446
	97,00
	1
	LA2



GVVE060ML AS SL C3

	a=1795
	b=632
	c=446
	97,00
	1
	LA5

GVVE046M AS SLI C3

	a=1855
	b=492
	c=446
	85,00
	1
	LA2




GVVE046ML AS SLI C3

	a=1855
	b=492
	c=446
	85,00
	1
	LA5

GVVE060M AS SLI C3

	a=1855
	b=632
	c=446
	98,00
	1
	LA2



GVVE060ML AS SLI C3

	a=1855
	b=632
	c=446
	98,00
	1
	LA5

GVVE090M AS SL C3

	a=1795
	b=932
	c=446
	139,00
	1
	LA2




GVVE090ML AS SL C3

	a=1795
	b=932
	c=446
	139,00
	1
	LA5

GVVE120M AS SL C3

	a=1795
	b=1232
	c=446
	183,00
	1
	LA2



GVVE120ML AS SL C3

	a=1795
	b=1232
	c=446
	183,00
	1
	LA5

GVVE090M AS SLI C3

	a=1855
	b=932
	c=446
	140,00
	1
	LA2



GVVE090ML AS SLI C3

	a=1855
	b=932
	c=446
	140,00
	1
	LA5

GVVE120M AS SLI C3

	a=1855
	b=1232
	c=446
	184,00
	1
	LA2



GVVE120ML AS SLI C3

	a=1855
	b=1232
	c=446
	183,00
	1
	LA5


Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19





Top in vetro anta scorrevole con mobile LS/Glas top with sliding doors and counter LS


GVVE090M AS SV LS

mm	a=1790
	b=932
	c=446
Kg	138,00
	1
	LA2
€	



GVVE090ML AS SV LS

mm	a=1790
	b=932
	c=446
Kg	138,00
	1
	LA5
€	




GVVE120M AS SV LS

mm	a=1790
	b=1232
	c=446
Kg	177,00
	1
	LA2
€	



GVVE120ML AS SV LS

mm	a=1855
	b=1232
	c=446
Kg	177,00
	1
	LA5
€	



Top in legno anta scorrevole con mobile LS/Wood top with sliding doors and counter LS


GVVE090M AS SL LS

mm	a=1795
	b=932
	c=446
Kg	138,00
	1
	LA2
€	



GVVE090ML AS SL LS

mm	a=1795
	b=932
	c=446
Kg	138,00
	1
	LA5
€	



GVVE120M AS SL LS

mm	a=1795
	b=1232
	c=446
Kg	177,00
	1
	LA2
€	




GVVE120ML AS SL LS

mm	a=1795
	b=1232
	c=446
Kg	177,00
	1
	LA5
€	



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons


LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Top in legno con faretti anta scorrevole con mobile AL/Wood top with spotlights and sliding doors and counter LS


GVVE090M AS SLI LS

mm	a=1855
	b=932
	c=446
Kg	139,00
	1
	LA2
€	



GVVE090ML AS SLI LS

mm	a=1855
	b=932
	c=446
Kg	139,00
	1
	LA5
€	




GVVE120M AS SLI LS

mm	a=1855
	b=1232
	c=446
Kg	178,00
	1
	LA2
€	




GVVE120ML AS SLI LS

mm	a=1855
	b=1232
	c=446
Kg	178,00
	1
	LA5
€	



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons


LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19



Top in vetro anta battente con mobile AS
Glas top with hinged doors and counter AS


GVVE090M AS SV AS

mm	a=1790
	b=932
	c=446
Kg	127,00
	1
	LA2
€	



GVVE090ML AS SV AS


mm	a=1790
	b=932
	c=446
Kg	127,00
	1
	LA5
€	



Top in legno anta scorrevole con mobile AS
Wood top with sliding doors and counter AS


GVVE090M AS SL AS

mm	a=1795
	b=932
	c=446
Kg	127,00
	1
	LA2
€	



GVVE090ML AS SL AS

mm	a=1795
	b=932
	c=446
Kg	127,00
	1
	LA5
€	



Top in vetro anta battente con mobile AGC3
Glas top with hinged doors and counter AGC3


GVVE120M AS SV AGC3

mm	a=1790
	b=1232
	c=446
Kg	171,00
	1
	LA2
€	



GVVE120ML AS SV AGC3

mm	a=1855
	b=1232
	c=446
Kg	171,00
	1
	LA5
€	



Top in legno anta scorrevole con mobile AGC3
Wood top with sliding doors and counter AGC3


GVVE120M AS SL AGC3

mm	a=1795
	b=1232
	c=446
Kg	171,00
	1
	LA2
€	



GVVE120ML AS SL AGC3


mm	a=1795
	b=1232
	c=446
Kg	171,00
	1
	LA5
€	



Top in legno con faretti anta scorrevole con mobile AS/Wood top with spotlights and sliding doors and counter AS


GVVE090M AS SLI AS

mm	a=1855
	b=932
	c=446
Kg	128,00
	1
	LA2
€	



GVVE090ML AS SLI AS

mm	a=1855
	b=932
	c=446
Kg	128,00
	1
	LA5
€	



Top in legno con faretti anta scorrevole con mobile AGC3/Wood top with spotlights and sliding doors and counter AGC3


GVVE120M AS SLI AGC3

mm	a=1855
	b=1232
	c=446
Kg	172,00
	1
	LA2
€	




GVVE120ML AS SLI AGC3

mm	a=1855
	b=1232
	c=446
Kg	172,00
	1
	LA5
€	




Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19



Top in vetro anta battente con mobile AGAL
Glas top with hinged doors and counter AGAL

GVVE120M AS SV AGAL

	a=1790
	b=1232
	c=446
	166,00
	1
	LA2



GVVE120ML AS SV AGAL

	a=1855
	b=1232
	c=446
	166,00
	1
	LA5

c b

Top in legno anta scorrevole con mobile AGAL
Wood top with sliding doors and counter AGAL

GVVE120M AS SL AGAL

	a=1795
	b=1232
	c=446
	166,00
	1
	LA2



GVVE120ML AS SL AGAL

	a=1795
	b=1232
	c=446
	166,00
	1
	LA5

c b

Top in legno con faretti anta scorrevole con mobile AGAL/Wood top with spotlights and sliding doors and counter AGAL

GVVE120M AS SLI AGAL

	a=1855
	b=1232
	c=446
	167,00
	1
	LA2



GVVE120ML AS SLI AGAL

	a=1855
	b=1232
	c=446
	167,00
	1
	LA5

c b

Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19




GVVE120M AS SLI AGAL



Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19





Top in vetro anta battente H885/Glas top H885 with hinged doors

GVVE046B AB BV

	a=885
	b=492
	c=446
	28,00
	1
	LA2




GVVE046BL AB BV

	a=885
	b=492
	c=446
	28,00
	1
	LA5

GVVE090B AB BV

	a=885
	b=932
	c=446
	50,00
	1
	LA2



GVVE090BL AB BV

	a=885
	b=932
	c=446
	50,00
	1
	LA5

Top in vetro con anta scorrevole H885/Glas top with sliding doors H885

GVVE046B AS SV

	a=855
	b=492
	c=446
	29,00
	1
	LA2




GVVE046BL AS SV

	a=1855
	b=1232
	c=446
	29,00
	1
	LA5

GVVE090B AS SV

	a=885
	b=932
	c=446
	51,00
	1
	LA2



GVVE090BL AS SV


	a=1855
	b=1232
	c=446
	51,00
	1
	LA5



GVVE046B AB BV

Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA2 Pannello melaminico mm 19 • Melamine panel mm 19 • Melamine panneau mm 19 • Melamin paneel mm 19 • Panel melaminico mm 19



GVVE046BL AS SV

Vetro temperato spessore 5mm/Tempered glass thickness 5mm • Base con ruote nascoste/Base with hidden wheels
Ante con serratura/Doors with lock • Colli imballati con cartoni/Parts packed in cartons

LA5 Pannello laccato lucido mm 19 • Bright painted panel mm 19 • Panneau laqué brillant mm 19 • Lackiertes glanzendes Paneel mm 19 • Panel Lacado Lúcido mm 19

