

3.1 tubo

3.1 tubo

4000 / 4000A / 4000B

Tubo tondo lunghezza 3 m.
Round tube lenght 3 m.
Longueur tube rond 3 m.
Круглая труба, длина 3 м.

C	4000	4000A	4000B
 mm	Ø = 25 spess./толщ. стенки 1,1	Ø = 10 spess./толщ. стенки 1	Ø = 12 spess./толщ. стенки 1
 Kg	20,00 (pack)	15,00 (pack)	16,00 (pack)
 Pcs	10/pack	30/pack	20/pack
	CR - VS V	CR	CR

4000C / 4000D / 4000E

Tubo tondo lunghezza 3 m.
Round tube lenght 3 m.
Longueur tube rond 3 m.
Круглая труба, длина 3 м.

C	4000C	4000D	4000E
 mm	Ø = 16 spess./толщ. стенки 1,2	Ø = 28 spess./толщ. стенки 1,2	Ø = 32 spess./толщ. стенки 1,2
 Kg	26,00 (pack)	24,00 (pack)	14,00 (pack)
 Pcs	20/pack	10/pack	5/pack
	CR	CR	CR - VS V

4000F / 4000FF / 4000I

Tubo tondo lunghezza 3 m.
Round tube lenght 3 m.
Longueur tube rond 3 m.
Круглая труба, длина 3 м.

C	4000F	4000FF	4000I
 mm	Ø = 50 spess./толщ. стенки 1,2	Ø = 50 spess./толщ. стенки 1,5	Ø = 18 spess./толщ. стенки 0,7
 Kg	36,00 (pack)	11,00 (pack)	12,00 (pack)
 Pcs	8/pack	2/pack	10/pack
	CR	CR - VS V	CR

4000L / 4000M

Tubo ovale lunghezza 3 m.
Oval tube lenght 3 m.
Longueur tube ovale 3 m.
Овальная труба, длина 3 м.

C	4000L	4000M
 mm	30x15 mm spess./толщ. стенки 1,2	36x18 mm spess./толщ. стенки 1,2
 Kg	22,00 (pack)	13,00 (pack)
 Pcs	10/pack	5/pack
	CR - VS V	CR

4000P / 4000Q

Tubo quadrato lunghezza 3 m.
Square tube lenght 3 m.
Longueur tube carre 3 m.
Квадратная труба, длина 3 м.

C	4000P	4000Q
 mm	20x20 mm spess./толщ. стенки 1,2	25x25 mm spess./толщ. стенки 1,2
 Kg	22,00 (pack)	24,00 (pack)
 Pcs	10/pack	8/pack
	CR - VS V NS	CR - VS V NS

4000R / 4000S

Tubo tondo lunghezza 3 m.
Round tube lenght 3 m.
Longueur tube rond 3 m.
Круглая труба, длина 3 м.

C	4000R	4000S
 mm	Ø = 19 spess./толщ. стенки 1	Ø = 40 spess./толщ. стенки 1,2
 Kg	14,00 (pack)	17,00 (pack)
 Pcs	10/pack	5/pack
	CR	CR

3.1 tubo

3.1 tubo

4000T

Tubo quadrato lunghezza 3 m.
Square tube lenght 3 m.
Longueur tube carre 3 m.
Квадратная труба, длина 3 м.



C	4000T
	30x30 mm spess./толщ. стенки 2
	22,00 (pack)
	4/pack
	CR - VS V

4000X / 4001N

Tubo rettangolare lunghezza 3 m.
Rectangular tube lenght 3 m.
Longueur tube rectangulaire 3 m.
Прямоугольная труба, длина 3 м.



C	4000X	4001N
	30x10 mm spess./толщ. стенки 1,2	30x15 mm spess./толщ. стенки 1,2
	22,00 (pack)	24,10 (pack)
	10/pack	10/pack
	CR - VS V	CR - VS V

4001A / 4001B / 4001C

Tubo tondo lunghezza 3 m.
Round tube lenght 3 m.
Longueur tube rond 3 m.
Круглая труба, длина 3 м.



C	4001A	4001B	4001C
	Ø = 16 spess./толщ. стенки 1,5	Ø = 20 spess./толщ. стенки 1	Ø = 22 spess./толщ. стенки 1
	31,00 (pack)	14,00 (pack)	16,00 (pack)
	20/pack	10/pack	10/pack
	CR	CR	CR

4001D / 4001E / 4001F

Tubo tondo lunghezza 3 m.
Round tube lenght 3 m.
Longueur tube rond 3 m.
Круглая труба, длина 3 м.



C	4001D	4001E	4001F
	Ø = 25 spess./толщ. стенки 0,7	Ø = 25 spess./толщ. стенки 1	Ø = 30 spess./толщ. стенки 1,2
	13,00 (pack)	19,00 (pack)	26,00 (pack)
	10/pack	10/pack	5/pack
	CR	CR	CR - VS V

4001G / 4001L

Tubo tondo lunghezza 3 m.
Round tube lenght 3 m.
Longueur tube rond 3 m.
Круглая труба, длина 3 м.



C	4001G	4001L
	Ø = 50 spess./толщ. стенки 1	Ø = 25 spess./толщ. стенки 0,9
	31,00 (pack)	17,00 (pack)
	8/pack	10/pack
	CR	CR

4002 / 4002A

Tubo ovale lunghezza 3 m.
Oval tube lenght 3 m.
Longueur tube ovale 3 m.
Овальная труба, длина 3 м.



C	4002	4002A
	22x15 mm spess./толщ. стенки 0,7	25x15 mm spess./толщ. стенки 0,7
	10,00 (pack)	13,00 (pack)
	10/pack	10/pack
	CR	CR

3.1 tubo

3.1 tubo

4002B / 4002C


Tubo ovale lunghezza 3 m.
Oval tube lenght 3 m.
Longueur tube ovale 3 m.
Овальная труба, длина 3 м.



C	4002B	4002C
	30x15 mm spess./толщ. стенки 0,7	30x15 mm spess./толщ. стенки 1
	14,00 (pack)	18,00 (pack)
	10/pack	10/pack
	CR	CR

GID28400 / GID28401 / GID35400


Tubo tondo zincato o verniciato lunghezza 3 m.
Round tube, galvanized or laquered finishing, lenght 3 m.
Longueur tube rond 3 m. Finition galvanisée ou laquée.
Круглая труба, длина 3 м. Возможна поставка трубы с оцинкованным или окрашенным покрытием.



M	GID28400	GID28401	GID35400
	a = 3000 b = Ø 28x1,5	a = 3000 b = Ø 28x2,5	a = 3000 b = Ø 34,5
	6,00 (2 pcs)	10,00 (2 pcs)	7,50 (2 pcs)
	2/pack	2/pack	2/pack
	ZN V	ZN V	ZN V

4082A / 4082B / 4082C

Tubo tondo.
Round tube.
Tube rond.
Круглая труба.



C	4082A	4082B	4082C
	a = 600 Ø = 16 sp./толщ. стенки 1,5	a = 900 Ø = 16 sp./толщ. стенки 1,5	a = 1200 Ø = 16 sp./толщ. стенки 1,5
	3,05 (pack)	4,58 (pack)	6,1 (pack)
	10/pack	10/pack	10/pack
	CR	CR	CR




Giunti



GIR25101 DX

Giunto a 3 vie.
3-way joint.
Joint 3 voies.
Крепеж с 3 направлениями.


 GIR25101 DX	
 mm	a = Ø 25
 Kg	10,99 (box)
 Pcs/Box	100/box
 CR	CR



GIR25102 SX

Giunto a 3 vie.
3-way joint.
Joint 3 voies.
Крепеж с 3 направлениями.


 GIR25102 SX	
 mm	a = Ø 25
 Kg	10,32 (box)
 Pcs/Box	100/box
 CR	CR



GIR25103 DX

Giunto a 2 vie.
2-way joint.
Joint 2 voies.
Крепеж с 2 направлениями.

 GIR25103 DX	
 mm	a = Ø 25
 Kg	10,37 (box)
 Pcs/Box	80/box
 CR	CR




3.2 giunti Ø25

3.2 giunti Ø25

**GIR25104 SX**

Giunto a 2 vie.
2-way joint.
Joint 2 voies.
Крепеж с 2 направлениями.

 GIR25104 SX	
	a = Ø 25
	10,40 (box)
	80/box
	CR

**GIR25107**

Giunto parallelo piatto.
Flat parallel joint.
Joint parallele plat.
Крепеж параллельный плоский.

 GIR25107	
	a = Ø 25 b = 35
	16,00 (box)
	200/box
	CR

**GIR25105**

Giunto parallelo.
Parallel joint.
Joint parallèle.
Крепеж параллельный.

 GIR25105	
	a = Ø 25 b = 35
	10,67 (box)
	100/box
	CR

**GIR25107A**


Riduttore in plastica per spessori da 4 a 6 mm.
Plastic reducer for thickness 4-6 mm.
Réducteur en plastique pour épaisseur de 4 à 6 mm.
Редуктор – вставка пластмассовая, толщина от 4 до 6 мм.

 GIR25107A	
	a = 4 - 6
	6,47 (box)
	600/box
	PL

**GIR25106**


Giunto per cristallo - Sp. 8 mm.
Joint for plate glass - Thickness 8 mm.
Joint pour cristal - Epaisseur 8 mm.
Крепеж для стеклянной полки - толщина 8 мм.

 GIR25106	
	a = Ø 25 b = 8
	9,43 (box)
	100/box
	CR

**GIR25107B**

Riduttore in plastica per spessori da 10 a 12 mm.
Plastic reducer for thickness 10-12 mm.
Réducteur en plastique pour épaisseur de 10 à 12 mm.
Редуктор – вставка пластмассовая, толщина от 10 до 12 мм.

 GIR25107B	
	a = 10 - 12
	4,82 (box)
	600/box
	PL




3.2 giunti Ø25

3.2 giunti Ø25

**GIR25111**

Giunto scorrevole con vite.
Sliding joint with screw.
Joint coulissant avec vis.
Крепеж скользящий с винтом.

	GIR25111
	a = Ø 25
	13,10 (box)
	120/box
	CR

**GIR25117**


Giunto parallelo piatto.
Flat parallel joint.
Joint parallèle plat.
Крепеж параллельный плоский.

	GIR25117
	a = Ø 25 b = 50
	13,81 (box)
	120/box
	CR

**GIR25118**


Giunto piatto per 3 tubi paralleli.
Flat joint for 3 parallel tubes.
Joint plat pour 3 tubes paralleles.
Крепеж плоский для 3-х параллельных труб.

	GIR25118
	a = Ø 25 b = 35
	14,63 (box)
	100/box
	CR

**GIR25113**


Giunto piatto, pannello/tubo/pannello.
Flat joint, panel/tube/panel.
Joint plat, panneau/tube/panneau.
Крепеж плоский панель/труба/панель.

	GIR25113
	a = Ø 25 b = 18 - 20
	14,58 (box)
	80/box
	CR

**GIR25114**

Giunto snodato piatto, pannello/tubo/pannello.
Flat articulated joint, panel/tube/panel.
Joint plat articulé, panneau/tube/panneau.
Крепеж шарнирный плоский панель/труба/панель.

	GIR25114
	a = Ø 25 b = 18 - 20
	14,40 (box)
	200/box
	CR

**GIR25112**

Giunto piatto, tubo/pannello.
Flat joint, tube/panel.
Joint plat, tube/panneau.
Крепеж плоский труба/панель.


	GIR25112
	a = Ø 25 b = 18 - 20
	12,52 (box)
	120/box
	CR



**GIR25108**

Giunto pannello/tubo/pannello.
Panel/tube/panel joint.
Joint panneau/tube/panneau.
Крепеж панель/труба/панель.

	GIR25108
	a = Ø 25 b = 18 - 20
mm	
	15,83 (box)
	80/box
	CR

**GIR25109**


Giunto tubo/pannello o cristallo.
Joint for tube/panel or tube/glass.
Joint tube/panneau ou tube/cristal.
Крепеж труба-панель или труба-стеклянная полка.

	GIR25109
	a = Ø 25 b = 18 - 20
mm	
	11,71 (box)
	120/box
	CR

**GIR25110**

Inserto per griglia.
Reducer insert for grill.
Réducteur pour grille.
Вставка для решетки.

	GIR25110
	a = 6 - 12
mm	
	5,52 (box)
	1500/box
	PL




3.2 giunti Ø25

3.2 giunti Ø25

**GIR25115**


Giunto supporto ripiani - semplice.
Shelves support joint - simple.
Joint porte-étagère - simple.
Крепеж-полкодержатель простой.

	GIR25115
 mm	a = Ø 25 b = 3 - 8
 Kg	9,24 (box)
 Pcs/Box	100/box
 CR	

**GIR25116**

Giunto supporto ripiani - doppio.
Shelves support joint - double.
Joint porte-étagère - double.
Крепеж-полкодержатель двойной.

	GIR25116
 mm	a = Ø 25
 Kg	9,84 (box)
 Pcs/Box	75/box
 CR	




3.2 giunti Ø25

3.2 giunti Ø25

**GIR25202**


Giunto a 3 vie.
3-way joint.
Joint 3 voies.
Крепеж с 3 направлениями.

	GIR25202
	a = Ø 25
mm	
	11,74 (box)
	120/box
	CR

**GIR25203**


Giunto a 4 vie.
4-way joint.
Joint 4 voies.
Крепеж с 4 направлениями.

	GIR25203
	a = Ø 25
mm	
	18,35 (box)
	90/box
	CR

**GIR25213**


Giunto a 5 vie.
5-way joint.
Joint 5 voies.
Крепеж с 5 направлениями.

	GIR25213
	a = Ø 25
mm	
	13,60 (box)
	50/box
	CR

**GIR25204**

Giunto a 6 vie.
6-way joint.
Joint 6 voies.
Крепеж с 6 направлениями.

	GIR25204
	a = Ø 25
mm	
	17,00 (box)
	50/box
	CR




3.2 giunti Ø25

3.2 giunti Ø25

**GIR25201**


Giunto a 3 vie « T » mini.
3-way « T » joint mini.
Joint 3 voies « T » mini.
Крепеж с 3 направлениями Т"-образный „мини“.

	GIR25201
	a = Ø 25
	15,16 (box)
	160/box
	CR

**GIR25210**


Giunto a 5 vie.
5-way joint.
Joint 5 voies.
Крепеж с 5 направлениями.

	GIR25210
	a = Ø 25
	14,06 (box)
	60/box
	CR

**GIR25207**


Giunto a 4 vie rettilineo.
4-way rectilinear joint.
Joint rectiligne 4 voies.
Крепеж с 4 направлениями в одной плоскости.

	GIR25207
	a = Ø 25
	14,29 (box)
	100/box
	CR

**GIR25205**


Giunto a 6 vie.
6-way joint.
Joint 6 voies.
Крепеж с 6 направлениями.

	GIR25205
	a = Ø 25
	10,13 (box)
	50/box
	CR

**GIR25208**

Giunto a 4 vie.
4-way joint.
Joint 4 voies.
Крепеж с 4 направлениями.

	GIR25208
	a = Ø 25
	15,90 (box)
	100/box
	CR




3.2 giunti Ø25

3.2 giunti Ø25

**GIR25209**


Giunto a 4 vie con 1 portaripiano.
4-way joint with 1 shelf-holder.
Joint 4 voies avec 1 porte-étagère.
Крепеж с 4 направлениями с 1 полкодержателем.

	GIR25209
	a = Ø 25
	14,80 (box)
	90/box
	CR

**GIR25206**


Giunto a 6 vie con 4 portaripiani.
6-way joint with 4 shelf-holders.
Joint 6 voies avec 4 porte-étagères.
Крепеж с 6 направлениями с 4 полкодержателями.

	GIR25206
	a = Ø 25
	10,29 (box)
	45/box
	CR

**GIR25211**


Giunto a 5 vie con 1 portaripiano.
5-way joint with 1 shelf-holder.
Joint 5 voies avec 1 porte-étagère.
Крепеж с 5 направлениями с 1 полкодержателем.

	GIR25211
	a = Ø 25
	11,10 (box)
	50/box
	CR

**GIR25212**

Giunto a 5 vie con 2 portaripiani.
5-way joint with 2 shelf-holders.
Joint 5 voies avec 2 porte-étagères.
Крепеж с 5 направлениями с 2 полкодержателями.

	GIR25212
	a = Ø 25
	12,15 (box)
	50/box
	CR




3.2 giunti Ø25

3.2 giunti Ø25

**GIR25217**


Giunto Box System a 3 vie.
3-way Box System joint.
Joint Box System à 3 voies.
Крепеж системы Box с 3 направлениями.

 GIR25217	
 mm	a = Ø 25
 Kg	16,82 (box)
 Pcs/Box	100/box
 CR	

**GIR25255**


Giunto Box System a 6 vie.
6-way Box System joint.
Joint Box System à 6 voies.
Крепеж системы Box с 6 направлениями.

 GIR25255	
 mm	a = Ø 25
 Kg	17,15 (box)
 Pcs/Box	40/box
 CR	

**GIR25218**


Giunto Box System a 4 vie.
4-way Box System joint.
Joint Box System à 4 voies.
Крепеж системы Box с 4 направлениями.

 GIR25218	
 mm	a = Ø 25
 Kg	15,05 (box)
 Pcs/Box	50/box
 CR	

**GIR25254**

Giunto Box System a 5 vie.
5-way Box System joint.
Joint Box System à 5 voies.
Крепеж системы Box с 5 направлениями.

 GIR25254	
 mm	a = Ø 25
 Kg	18,17 (box)
 Pcs/Box	50/box
 CR	




3.2 giunti Ø25

3.2 giunti Ø25

**GIR25301**


Espansore liscio.
Smooth expander.
Expanseur lisse.
Расширитель гладкий.

	GIR25301
	a = Ø 25
	8,12 (box)
	180/box
	GR

**4078**


Ghiera con anello smontabile per tubo Ø 25 mm.
Plate with demountable ring for tube Ø 25 mm.
Support avec anneau démontable pour tube Ø 25 mm.
Зажимное кольцо съёмное для трубы Ø 25 мм.

	4078
	a = Ø 52 b = 19 c = Ø 25
	43 g. - 2,15 (box)
	50/box
	CR

**GIR25302**


Espansore con fascia cromato.
Chromium-plated expander with band.
Expanseur chrome avec bande.
Расширитель хромированный.

	GIR25302
	a = Ø 25 b = 12
	4,62 (box)
	200/box
	CR

**GIR25304**


Giunto a snodo 90° + 180°.
Articulated joint 90° + 180°.
Joint articulé 90° + 180°.
Крепеж шарнирный 90° + 180°.

	GIR25304
	a = Ø 25 b = 180°
	20,34 (box)
	200/box
	CR

**GIR25303 / GIR25303/A**

Ghiera di fissaggio a parete.
Wall support plate.
Support a paroi.
Зажимное кольцо фиксирования к стене.

	GIR25303	GIR25303/A
	a = Ø 25 b = 56	a = Ø 25 b = 56
	17g. - 9,16 (box)	23g. - 13,80 (box)
	400/box	400/box
	CR	CR

**GIR25305** sp. tubo/толщ. стенки 1 - 1,2 mm.

Mazzetta filettata M 10.
M 10 threaded insert.
Maillet filete M 10.
Втулка с резьбой M 10.

	GIR25305
	a = Ø 25 b = 10MA
	10,95 (box)
	600/box
	CR




3.2 giunti Ø25

3.2 giunti Ø25

**GIR25306**


Supporto distanziatore passante a parete 133 mm.
Wall passing bearing spacer 133 mm.
Support bague passant pour paroi 133 mm.
Кронштейн удаляющий от стены сквозной 133 мм.

	GIR25306
	a = 133 b = Ø 25
	7,56 (box)
	60/box
	CR

**GIR25307**


Supporto distanziatore di estremità a parete 133 mm.
Wall ending bearing spacer 133 mm.
Support bague d'extrémité pour paroi 133 mm.
Кронштейн удаляющий от стены конечный 133 мм.

	GIR25307
	a = 133 b = Ø 25
	8,35 (box)
	60/box
	CR

**GIR25651**


Reggitubo regolabile aperto per tubo Ø 25 mm.
Open adjustable tube support for Ø 25 mm tube.
Support réglable ouvert pour tube Ø 25 mm.
Держатель трубы регулируемый открытый для трубы Ø 25 мм.

	GIR25651
	a = 65+95
	2,63 (box)
	50/box
	CR

**GIR25652**


Reggitubo regolabile chiuso per tubo Ø 25 mm.
Closed adjustable tube support for Ø 25 mm tube.
Support réglable fermé pour tube Ø 25 mm.
Держатель трубы регулируемый закрытый для трубы Ø 25 мм.

	GIR25652
	a = 65+95
	11,29 (box)
	180/box
	CR

**GIR25A10**

Giunto per connettere tubo Ø25 al tubo Ø10 in verticale e orizzontale.
Connecting joint for tube d.25 to tube d.10 in vertical or horizontal use.
Joint de raccordement pour tube d.25 avec tube d.10 en vertical ou horizontal.
Крепёж для соединения трубы Ø25 и трубы Ø10 по вертикали и по горизонтали.

	GIR25A10
	a = 55 b = Ø 25 c = Ø 10
	13,90 (box)
	180/box
	CR




3.2 giunti Ø25

3.2 giunti Ø25

4016

Piedino tondo alettato Ø25 mm con filetto M10.
Round finned foot Ø25 mm M10 threaded.
Embout à ailettes rond Ø25 mm fileté M10.
Ножка круглая Ø25 мм с резьбой M10.


C	4016
	a = Ø 25 b = 6 c = 19
	0,55 (pack)
	100/pack
	PL



4022B

Copritesta tondo alettato Ø25 mm.
Round finned cap Ø25 mm.
Bouchon à ailettes rond Ø25 mm.
Заглушка круглая Ø25 мм.

C	4022B
	a = Ø 25
	0,40 (pack)
	100/pack
	PL-CR



4021

Piedino tondo alettato Ø25 mm.
Round finned foot Ø25 mm.
Embout à ailettes rond Ø25 mm.
Ножка круглая Ø25 мм.


C	4021
	a = Ø 25 b = 24 c = 6
	0,50 (pack)
	100/pack
	PL



4011

Portapiano angolare.
Angular shelf support.
Support angulaire pour étagère.
Полкодержатель угловой.

C	4011
	a = 58 b = 71 c = Ø 25
	0,06
	200/pack
	CR - VS
	V



4022A

Copritesta tondo in ABS Ø25 mm.
ABS round cap Ø25 mm.
Bouchon en ABS rond Ø25 mm.
Заглушка из ABS круглая Ø25 мм.


C	4022A
	a = Ø 25
	0,20 (pack)
	100/pack
	PL-CR
	PL-V



4012

Supporto per tubo Ø 25 in kostil trasparente.
Support for tube Ø 25 in transparent kostil.
Support pour tube Ø 25 en kostil transparent.
Держатель трубы Ø 25 из прозрачного kostil.

C	4012
	a = 25 b = 30
	0,22 (pack)
	50/pack
	PL




3.2 giunti Ø25

3.2 giunti Ø25

**4013**


Supporto piano per tubo Ø 25 in pc trasparente.
Plane support for tube Ø 25 in transparent pc.
Support plan pour tube Ø 25 en pc transparent.
Держатель трубы Ø 25 из прозрачного pc.

C	4013
	a = 25 b = 32
	0,43 (pack)
	50/pack
	PL

**4026**


Supporto ripiani in orizzontale.
Horizontal shelf support.
Support pour panneaux horizontal.
Полкодержатель горизонтальный.

C	4026
	a = Ø 25 b = 20
	0,03
	50/pack
	CR - VS - V

**4024**


Supporto cristallo in orizzontale con ventosa.
Horizontal crystal support with suction cup.
Support horizontal pour cristal avec ventouse.
Полкодержатель для стеклянных полок горизонтальный с присоской.

C	4024
	a = 25 b = Ø 26 c = Ø 25
	0,02
	50/pack
	CR - VS - V

**4027**


Supporto ripiani in verticale.
Vertical shelf support.
Support pour panneaux vertical.
Полкодержатель вертикальный.

C	4027
	a = Ø 25 b = 20
	0,03
	50/pack
	CR - VS - V

**4025**


Supporto cristallo in verticale (pannello o cristallo sp. 6 mm).
Vertical crystal support (panel or crystal 6 mm thick).
Support pour cristal vertical (panneau ou cristal 6 mm d'épaisseur).
Полкодержатель вертикальный (для панелей или стеклянных полок толщиной 6 мм).

C	4025
	a = 25 b = Ø 25 c = 31 d = 7
	0,03
	50/pack
	CR - VS - V

**4028**

Boccia terminale.
Terminal ball.
Terminale boule.
Наконечник для трубы.

C	4028
	a = Ø 64 b = Ø 25
	0,04
	25/pack
	PL-CR - PL-V



V= bianco-nero / white-black
blanc-noir / белый-черный


3.2 giunti Ø25

3.2 giunti Ø25

4029

Puntale per tubo Ø 25 mm.
External foot end-cap Ø 25 mm.
Pied terminal extérieur Ø 25 mm.
Наконечник для трубы Ø 25 мм.


C	4029
	a = Ø 25 b = 28
	0,55 (pack)
	50/pack
	PL



4051

Raccordo quarto di cerchio R= 275 mm.
Elbow fitting R= 275 mm.
Raccord quart de cercle R= 275 mm.
Соединитель в форме четверти круга. R= 275 мм.


C	4051
	a = 380 b = 380 c = Ø 25
	0,44
	5/pack
	CR - VS - V



4042/4043/4044/4044A

Raccordo semicerchio.
Semicircular fitting.
Raccord semicirculaire.
Соединитель полукруглый.


C	4042	4043	4044	4044A
	a = 550 b = 593 c = Ø 25	a = 660 b = 593 c = Ø 25	a = 960 b = 593 c = Ø 25	a = 1050 b = 593 c = Ø 25
	0,75	0,89	1,30	1,42
	5/pack	5/pack	5/pack	5/pack
	CR - VS - V	CR - VS - V	CR - VS - V	CR - VS - V



4053

Braccio espositivo frontale per appenderia a 125°.
Frontal 125° arm for clothes rails.
Bras exposant à 125° porte-vêtements.
Кронштейн фронтальный угловой 125°.


C	4053
	a = 480 b = 250 c = Ø 25
	0,57
	5/pack
	CR - VS - V



4048/4049

Raccordo angolare a 90°.
90° angular fitting.
Raccord angulaire à 90°.
Соединитель угловой 90°.


C	4048	4049
	a = 200 b = 200 c = Ø 25	a = 200 b = 300 c = Ø 25
	0,24	0,30
	5/pack	5/pack
	CR - VS - V	CR - VS - V



4054

Braccio espositivo frontale per appenderia a 35°.
Frontal 35° arm for clothes rails.
Bras exposant à 35° porte-vêtements.
Кронштейн фронтальный угловой 35°.

C	4054
	a = 410 b = 200 c = Ø 25
	0,46
	5/pack
	CR - VS - V




3.2 giunti Ø25

4058

Supporto per ripiano singolo in legno o vetro.
Support for single wooden or glass shelves.
Support pour étagères simple en bois or verre.
Полкодержатель для деревянных и стеклянных полок одинарный.


C 4058	
	a = 300 b = Ø 25
 mm	
 Kg	0,33
 Pcs	4/pack
	CR - VS - V



4059

Supporto per doppi ripiani in legno o vetro.
Support for double wooden or glass shelves.
Support pour étagères double en bois or verre.
Полкодержатель для деревянных и стеклянных полок двойной.

C 4059	
	a = 300 b = Ø 25
 mm	
 Kg	0,52
 Pcs	4/pack
	CR - VS - V



4063

Raccordo angolare a 2 curve.
2 curve angular fitting.
Raccord angulaire à 2 courbes.
Соединитель 2-угловой.

C 4063	
	h = 300 c = Ø 25
 mm	
 Kg	0,34
 Pcs	5/pack
	CR - VS - V

